

63.84
Africa
1927-1928

ction in price of Citrus


LIBRARY

RECEIVED

★ MAR 17 1928 ★

U. S. Department of Agriculture

GROOT DRAKENSTEIN NURSERIES



TREES

1928

(ILLUSTRATED)

CATALOGUE & PRICE LIST *of* FRUIT TREES

GROWN BY

H.E.V. PICKSTONE & BROTHER LTD.

P. O. SIMONDIUM. C. P.

(BRANCH NURSERIES AT ELGIN AND GEORGE).

If you prefer this Catalogue in Afrikaans please
let us know, when a copy will at once be sent
to you.

As u verkies om hierdie Katalogus in Afrikaans
te hê, laat ons asseblief weet, dan sal 'n eksem-
plaar aan u gestuur word.

H. E. V. PICKSTONE & BROTHER, Ltd.,
SIMONDIUM,
CAPE PROVINCE.

SOUTH AFRICA.



DECIDUOUS TREES.

Size 1.	Size 2.	Varieties.	Size 1.	Size 2.	Varieties.	Size 1.	Size 2.	Varieties.
APPLES ON BLIGHTPROOF STOCKS.			PEACHES.			JAPANESE PLUMS.		
.....	Ballarat Seedling.	Angel.	Abundance.
.....	Ben Davis.	Belle Baucé.	Akorana Early.
.....	Blenheim Orange Pippin.	Briggs Red May.	Apex.
.....	Cellini.	Brook.	Apple.
.....	Christmas.	Constantia.	Beauty.
.....	Cleopatra.	Crimson Galande.	Burbank.
.....	Cliff's Seedling.	Dagmar.	Chalcot.
.....	Commerce.	Dr. Hogg.	Formosa.
.....	Delicious.	Duchess of Cornwall.	Gaviota.
.....	Early Harvest.	Duke of York.	Kelsey.
.....	Emperor Alexander.	Early Alexander.	Methley.
.....	Esopus Spitzenberg.	Early Crawford.	October Purple.
.....	Gravenstein.	Early Rivers.	Santa Rosa.
.....	Jonathan.	Elberta.	Satsuma.
.....	King of Tomkins County.	Florida Crawford.	Sharp's Early.
.....	London Pippin.	Foster.	Shiro Smomo.
.....	Lord Wolseley.	George's Late Cling.	Sultan.
.....	Missouri Pippin.	Gladstone.	Wickson.
.....	Monmouth Pippin.	Goodman's Choice.	Wright's Early.
.....	Nickajack.	High's Early Canada.	
.....	Northern Spy.	Improved Waldo.	
.....	Ohinemuri.	Inkoos.	PRUNES.
.....	Prince Bismarck.	Killiekrankie.	California d'Agén.
.....	Prynnsberg Beauty.	Late Crawford.	Fellenberg.
.....	Red Astrachan.	Lemon Cling.	Sugar.
.....	Reinette du Canada.	Le Vainqueur.	
.....	Rhode Island Greening.	Lovell.	CHERRIES.
.....	Rokewood.	Mamie Ross.	Bing.
.....	Rome Beauty.	Mary's Choice.	Black Biggareau.
.....	Sharp's Early.	Mayflower.	Black Tartarian.
.....	Versfeld's.	Mountain Rose.	Early Rivers.
.....	Wemmer's Hoek.	Muir.	Elton.
.....	White Winter Pearmain.	Nectarine.	Emperor Francis.
.....	William Anderson.	Newhall.	Giant Heidelberg.
.....	William's Favourite.	Oklahoma Queen.	Governor Wood.
.....	Wine Sap.	Pallas.	Kentish.
.....	Yellow Newton Pippin.	Peento.	Monstreuse de Mezel.
.....	York Imperial.	Peregrine.	Morello.
APPLES ON CAPE SEEDLING STOCKS.			Pucelle de Malines.	Napoleon Biggareau.
.....	Cleopatra.	Pullar's Cling.	
.....	Cox Orange Pippin.	Rimer.	
.....	Delicious.	Salway.	ALMONDS.
.....	Jonathan.	Schoongezicht.	Brand's Jordan.
.....	Ohinemuri.	Sea Eagle.	Britz.
.....	Rokewood.	Seller's Golden Cling.	Drake's Seedling.
.....	Rome Beauty.	Shackleford.	I.X.L.
.....	Sharp's Early.	Thomas Rivers.	Jordan.
.....	Versfeld's.	Tuscan Cling.	Ne Plus Ultra.
.....	Wemmer's Hoek.	Van Rensburg.	Nonpareil.
.....	White Winter Pearmain.	Waldo.	Paper Shell.
.....	York Imperial.	Waterloo.	Texas Prolific.
.....	White Parvie.	
PEARS.			NECTARINES.			QUINCES.		
.....	Bon Chrétien (Williams).	Albert.	Borrie.
.....	Beurre Bosc.	De Cousa.	Cape Selected.
.....	Beurre Clairgeau.	Early Rivers.	Meeches Prolific.
.....	Beurre Diel.	Goldmine.	Orange.
.....	Beurre Hardy.	Newton.	Portugal.
.....	Beurre Superfine.	Stanwick.	Rae's Mammoth.
.....	Clapp's Favourite.	Victoria.	Van Diemen.
.....	December.	
.....	Doyenne du Comice.	APRICOTS.	FIGS.
.....	Duchesse d'Angoulême.	Blenheim.	Adam.
.....	Easter Beurre.	Early Cape.	Calimyrna.
.....	Fertility.	Moorpark.	Capri.
.....	Forelle.	Old Cape.	Castle Kennedy.
.....	Gansell's Bergamotte.	Royal.	Eva.
.....	Glou Morceau.	Tilton.	Negro Largo.
.....	Jargonelle.	PLUMS.	New Brunswick.
.....	Josephine de Malines.	Coe's Golden Drop.	Old Cape White.
.....	Keiffer Hybrid.	Czar.	Tiger.
.....	Le Conte.	Damask.	White Adriatic.
.....	Louise Bonne.	Diamond.	White Genoa.
.....	Magnate.	Early Golden Drop.	
.....	Sweet Safran.	Greengage.	
.....	Tongres.	Hahn's d'Almagne.	
.....	Vicar of Winkfield.	Pond's Seedling.	
.....	Winter Neils.	Pride of England.	
.....	Winter Safran.	Reid's Late Gem.	
.....	Rivers' Early Prolific.	MULBERRIES.
.....	Rivers' Late Prolific.	Cape Selected, 2/6 each.

VINES.


No.	Varieties.	No.	Varieties.	No.	Varieties.
.....	Barbarossa.	Hermitage.	Rosaki.
.....	Black Prince.	Lady Downes Seedling.	White Hanepoot.
.....	Crystal.	Raisin Blanc.	Waltham Cross.
.....	Gros Colman.	Red Muscadel.	
		Red Hanepoot.	

CITRUS TREES.

Size 1.	Size 2.	Size 3.	Varieties.	Size 1.	Size 2.	Size 3.	Varieties.	Size 1.	Size 2.	Size 3.	Varieties.
ORANGES.				LEMONS.				GRAPE FRUIT.			
....	Bitter Seville.	Eureka.	Marsh's Seedless.
....	Clanwilliam Seedling.	Genoa.				
....	Jaffa.	Villa Franca.				
....	Joppa.								
....	Mediterranean Sweet.								
....	Navelencia.								
....	Paper Rind St. Michael.								
....	Ruby Blood.								
....	Thompson's Imp'd Navel.	NARTJES.				
....	Valencia Late.				Cape Nartje.	Tahiti
....	Washington Navel.	Australian Mandarin				
			(Pickstone's).	Dancy's Tangerine.				
				Oonshu.	Citron of Commerce.

NOTE—No alteration or delays will be accepted within 15 days of the date of despatch.

1904-1905



W. E. A. BUCKINGHAM & BROTHERS, LTD.

SOLE IMPORTERS OF GOOD HOSE

ORDER SHEET FOR FURTHER TIES, 200000

BY THE WAY, PLEASE

PLEASE ORDER FOR THE FOLLOWING: 100000

100000

100000

100000

100000

100000

100000

100000

100000

DECIDUOUS TREES.

Size 1.	Size 2.	Varieties.	Size 1.	Size 2.	Varieties.	Size 1.	Size 2.	Varieties.
APPLES ON BLIGHTPROOF STOCKS.			PEACHES.			JAPANESE PLUMS.		
.....	Ballarat Seedling.	Angel.	Abundance.
.....	Ben Davis.	Belle Bauce.	Akorana Early.
.....	Blenheim Orange Pippin.	Briggs Red May.	Apex.
.....	Cellini.	Brook.	Apple.
.....	Christmas.	Constantia.	Beauty.
.....	Cleopatra.	Crimson Galande.	Burbank.
.....	Cliff's Seedling.	Dagmar.	Chalcot.
.....	Commerce.	Dr. Hogg.	Formosa.
.....	Delicious.	Duchess of Cornwall.	Gaviota.
.....	Early Harvest.	Duke of York.	Kelsey.
.....	Emperor Alexander.	Early Alexander.	Methley.
.....	Esopus Spitzenberg.	Early Crawford.	October Purple.
.....	Gravenstein.	Early Rivers.	Santa Rosa.
.....	Jonathan.	Elberta.	Satsuma.
.....	King of Tomkins County.	Florida Crawford.	Sharp's Early.
.....	London Pippin.	Foster.	Shiro Smomo.
.....	Lord Wolseley.	George's Late Cling.	Sultan.
.....	Missouri Pippin.	Gladstone.	Wickson.
.....	Monmouth Pippin.	Goodman's Choice.	Wright's Early.
.....	Nickajack.	High's Early Canada.	
.....	Northern Spy.	Improved Waldo.	
.....	Ohinemuri.	Inkoos.	PRUNES.
.....	Prince Bismarck.	Killiekrankie.	California d'Agen.
.....	Prynnsberg Beauty.	Late Crawford.	Fellenberg.
.....	Red Astrachan.	Lemon Cling.	Sugar.
.....	Reinette du Canada.	Le Vainqueur.	
.....	Rhode Island Greening.	Lovell.	CHERRIES.
.....	Rokewood.	Mamie Ross.	Bing.
.....	Rome Beauty.	Mary's Choice.	Black Biggareau.
.....	Sharp's Early.	Mayflower.	Black Tartarian.
.....	Versfeld's.	Mountain Rose.	Early Rivers.
.....	Wemmer's Hoek.	Muir.	Elton.
.....	White Winter Pearmain.	Nectarine.	Emperor Francis.
.....	William Anderson.	Newhall.	Giant Heidefinger.
.....	William's Favourite.	Oklahama Queen.	Governor Wood.
.....	Wine Sap.	Pallas.	Kentish.
.....	Yellow Newton Pippin.	Peento.	Monstreuse de Mezel.
.....	York Imperial.	Peregrine.	Morello.
APPLES ON CAPE SEEDLING STOCKS.			Pucelle de Malines.	Napoleon Biggareau.
.....	Cleopatra.	Pullar's Cling.	
.....	Cox Orange Pippin.	Rimer.	
.....	Delicious.	Salway.	ALMONDS.
.....	Jonathan.	Schoongezicht.	Brand's Jordan.
.....	Ohinemuri.	Sea Eagle.	Britz.
.....	Rokewood.	Seller's Golden Cling.	Drake's Seedling.
.....	Rome Beauty.	Shackleford.	I.X.L.
.....	Sharp's Early.	Thomas Rivers.	Jordan.
.....	Versfeld's.	Tuscan Cling.	Ne Plus Ultra.
.....	Wemmer's Hoek.	Van Rensburg.	Nonpareil.
.....	White Winter Pearmain.	Waldo.	Paper Shell.
.....	York Imperial.	Waterloo.	Texas Prolific.
.....	White Parvie.	
PEARS.			NECTARINES.			QUINCES.		
.....	Bon Chrétien (Williams).	Albert.	Borrie.
.....	Beurre Bosc.	De Cousa.	Cape Selected.
.....	Beurre Clairgeau.	Early Rivers.	Meeches Prolific.
.....	Beurre Diel.	Goldmine.	Orange.
.....	Beurre Hardy.	Newton.	Portugal.


VINES.

No.	Varieties.	No.	Varieties.	No.	Varieties.
.....	Barbarossa.	Hermitage.	Rosaki.
.....	Black Prince.	Lady Downes Seedling.	White Hanepoot.
.....	Crystal.	Raisin Blanc.	Waltham Cross.
.....	Gros Colman.	Red Muscadel.	
.....		Red Hanepoot.	


CITRUS TREES.

Size 1.	Size 2.	Size 3.	Varieties.	Size 1.	Size 2.	Size 3.	Varieties.	Size 1.	Size 2.	Size 3.	Varieties.
			ORANGES.				LEMONS.				GRAPE FRUIT.
....	Bitter Seville.	Eureka.	Marsh's Seedless.
....	Clanwilliam Seedling.	Genoa.				
....	Jaffa.	Villa Franca.				
....	Joppa.								
....	Mediterranean Sweet.								
....	Navelencia.								
....	Paper Rind St. Michael.				NARTJES.				LIMES.
....	Ruby Blood.					Tahiti
....	Thompson's Imp'd Navel.	Cape Nartje.				
....	Valencia Late.	Australian Mandarin				
....	Washington Navel.	Dancy's Tangerine.				CITRONS.
			(Pickstone's).	Oonshu.	Citron of Commerce.

NOTE—No alteration or delays will be accepted within 15 days of the date of despatch.



PICKSTONE'S WASHINGTON NAVAL,
ACTUAL SIZE.



PICKSTONE'S WASHINGTON NAVEL.
ACTUAL SIZE.

GROOT DRAKENSTEIN NURSERIES




1928

(ILLUSTRATED)

CATALOGUE & PRICE LIST *of* FRUIT TREES

GROWN BY
H.E.V. PICKSTONE & BROTHER LTD.
P. O. SIMONDIUM. C.P.

(BRANCH NURSERIES AT ELGIN AND GEORGE).



View of same tree after having been cut back, which should be done immediately after planting.

Same tree after its first season's growth.

PLAN

SECTION OF GROUND after planting.

The dotted line above the roots represents the basin to be left after planting, and which is to be filled with water, which, when the water has soaked away, is filled with the remaining ground shown on the left; if the planting is followed by a good rain it will be unnecessary to apply water.

showing Size of Hole, Method of Trimming the Roots, Planting, Watering and Pruning all Yearling Fruit Trees.—The same applies to the planting of two-year-old trees, excepting that the Pruning is not quite so close.

CONTENTS.

	Page
To Our Customers ..	6
Introduction	7
Stocks	8
Apple Trees on Common	
Seedling Roots ..	8
" Hints on Fruit Growing "	9
A Question to Fruit Growers	9
Instructions to Correspondents	10
To Clients in Kenya Colony, etc., etc.	12
Trees sent by Parcels Post	12
To Clients in Rhodesia ..	13
Cancellation of Orders ..	13
Price List for 1928 Season	14-15
Free Delivery	16
Guarantee of Genuineness and Conditions of Sale ..	16
Orchards can be planted when land is dry ..	16
Deep Planting of Trees ..	17
Summer Planting of Fruit Trees	17
Cold Storage of Trees ..	17
Deciduous Trees ..	18
How to Handle Deciduous Trees after arrival	18
Descriptive List of Deciduous Fruit Trees :	
Apples	19
Pears	24
Peaches, Freestone	28
" Clingstone	32
" Chinese ..	33
Nectarines ..	33
Apricots	34
Domestic Plums ..	35
Japanese and Oriental Plums ..	37

	Page
Prunes	39
Cherries	40
Almonds	41
Mulberries	42
Quinces	42
Figs	43
Transplanting Fig Trees ..	44
Vines	44
List of Varieties ..	45
Citrus Trees	47
Packing	48
Treatment on Arrival ..	48
Planting Out and Simple Directions for Planting	49
Deep Planting	51
Responsibility for Loss after Trees are Railed	51
Cancellation of Orders for Citrus Trees ..	51
Descriptive List of Citrus Trees :	
Oranges	52
Grape Fruit	54
Lemons	55
Limes	55
Nartjes	55
Citrons	55
Site for Citrus Orchard ..	55
Setting Out an Orange Grove	57
The Washington Navel and its Future ..	57
Stocks	59
Improvement in Varieties	59
VALUABLE TABLES	60
Distances for Planting ..	61
Time of Bearing	61
TESTIMONIALS	62

TO OUR CUSTOMERS.

Our catalogue again this year contains but few additional varieties. We specially recommend to your notice the new sorts of Almonds, which are well worth planting together with the old standard sorts. The more sorts you have, within reason, for cross fertilisation purposes, the better.

It has always been our policy to test as far as possible any new variety accepted for our catalogue, and to offer same for sale at our usual prices. Our firm never has asked, and we hope never will ask, higher prices for new introductions, as we fully recognise that it is more than likely they may turn out no more valuable than those already recognised as of established commercial value. Our policy is to help the grower, securing the best possible results, and the longest ripening line of suitable varieties of trees, at fixed and standard prices.

On referring to our price list clients will note that a reduced new rate has been inaugurated for Citrus Trees for Commercial Planting.

We would draw planters' attention to the article on Apples on Communis root. This is a return to our policy of some years ago. Clients may recall that for many years we supplied Apples both on blight-proof and Communis stocks. Many growers in the Western Province are prejudiced against Northern Spy stock, on account of its dwarfing tendency to the resultant trees.

We wish to thank our clients throughout Africa for the consistent support that they have given to our firm. We feel that they thoroughly recognise that we strive, to the utmost of our ability, to serve the best interests of planters, in each and every instance.

H. E. V. PICKSTONE & BROTHER, LIMITED.

P.O. Simondium, C.P.,
1st January, 1928.

INTRODUCTION.

It gives us great pleasure to submit our 34th Annual Catalogue and Price List to the South African public interested in Fruit Growing.

Our business is more than South African, as we have opened up considerable business with Central, East and West Africa, both British and Portuguese, Uganda, St. Helena, the Belgian Congo, Mauritius, Egypt, and also Europe and India.

Advice to Planters. We shall (outside of the selling season) always be pleased to assist our customers with information in any way we can; it is **distinctly a pleasure for us to do so**. Purchasers must remember that as our trees are sold under a guarantee of genuineness, all interest is **not** lost directly payment for same is received. Careful account, dating back for thirty years, is kept of the particulars of each consignment. Our clientele can, therefore, at any time (if they lose track of the varieties purchased) get a duplicate from us to put them straight.

Complaints. If there should be any complaint to make on receipt of consignment, we should esteem it a favour if you will make it, **and without delay**.

Size of Trees. Our trees are—as always—sold by height, as specified on pages 14 and 15, and great care will be taken to have the grading liberally done.

Regarding the respective value of the different sizes of trees, both have exceeded expectations of buyers. It is usually considered that the first size trees are easier to transplant.

Time for Planting. Our shipping season for deciduous trees commences early in June and continues till early September, or, with the aid of cold storage, until end of October.

Our stocks include the leading Californian, Australian and European and South African varieties.

Selection of Varieties. A great many of our customers leave their selection entirely to us; we try to merit their confidence in this respect by following up the history of varieties in the different countries and districts. A great deal of planting, however, has now been undertaken all over the country; and we feel sure that the first thing intending planters of orchards should do is to ascertain the behaviour of the different classes and varieties in their immediate neighbourhood. After posting yourself on the results of your neighbours' plantings, it will be time to communicate

with us, informing us of the results of your inquiries, and as to how you intend disposing of the product ; whether in its green state, by canning, sun-drying or evaporating, or as a home orchard only ; we shall then be placed in a position to give you advice, which we trust will be of value to you.

Our description of varieties can be relied upon with a fair degree of accuracy, being drawn not only from leading authorities, but mainly from actual South African data.

Clients must, however, remember that varieties occasionally vary in the matter of colour, size, etc., in different parts of the country, owing to climatic and other differences. This refers also to their date of ripening.

Stocks. Owing to the prevalence of the Woolly Aphis, or American Blight, throughout most parts of South Africa, we have found it desirable to work our apples mainly on to Blight-proof stock. We use the Northern Spy stock of our own growing. We have now for thirty-five years had experience of this stock in all parts of South Africa, and can say that it has proved absolutely Blight-proof and is suited to all the varying climatic conditions and soils of this country.

All apples on Blight-proof stocks are guaranteed to be as described and sold, and are absolutely Blight-proof up to the bud or graft, which is generally about 12 inches above ground level, thus insuring against any possibility of the Blight getting below the ground.

With the exception of a few varieties which are completely immune from blight, both root and branches, it must not be expected that the branches of varieties will remain clean from attack simply because the trees are worked on Blight-proof stocks. It will, though, be sufficiently plain to clients that it is comparatively easy to eradicate Blight from branches, whereas it is almost an impossibility to remove the blight once it has got into the roots, which it can never do if the trees are on Blight-proof stock. We give this information as we have on several occasions found misunderstandings occurring on this point.

Apple Trees on Common Seedling Roots For those planters indifferent to the advantages of having their trees on Blight-proof stocks, as well as for others who may disfavour the Northern Spy as a root for the Apple, we are now working and offering for sale, at much lower prices, certain of the most favoured commercial varieties grafted on selected seedling stocks of our own raising. These make a strong growing tree, though not resistant to American Blight.

We will say that, in our opinion, so far as concerns the Western Province of the Cape, where the Woolly Aphis is to a great extent kept in check by certain parasites, the more resistant varieties worked on selected seedling stocks may be recommended for planting.

Here again we make no excuse for once more urging upon the buyer of Apple trees on Blight-proof stocks, the vital necessity of making sure that the genuine article is being supplied, and that is a stock having the pedigree variety grafted on to it well above ground level. Unfortunately it has recently become a very common practice to graft the pedigree variety on to the Spy root below ground level, for by so doing a year's time and considerable trouble and expense is saved. Such trees, though offered for sale as on Blight-proof root, are no more Blight-proof than if worked on ordinary seedling stocks.

The **Pears** are worked on seedling pear stocks only.

The **Plums** are worked both on Peach and Mariana stocks. The latter stock we can recommend with confidence, after many years of experience.

Further, it must be mentioned that many varieties of domestic plums will not make a sound junction when worked on peach stock, and **vice versa**. These are technical points which must not be overlooked, and purchasers should rely on their nurseryman to use his best judgment thereon.

The **Peaches, Nectarines and Apricots** are worked on peach stock only.

The **Almonds** are worked on peach stock. We have a few on Mariana stock. This stock shows considerable promise in most soils.

"HINTS ON FRUIT GROWING."

By H. E. V. Pickstone.

We shall be pleased to send a copy of this book in either English or Afrikaans, free of all expense, to any grower who cares for one.

We are convinced that a perusal will obviate many mistakes, and much valuable information on all matters pertaining to the Fruit Industry from the experience of many experts is compiled therein. Also it contains the advertisements of many of the leading firms who stock fruit-growers' supplies and is of considerable value as a reference book on most matters pertaining to fruit growing.

A new and up-to-date edition in English is in course of preparation and will be ready about February.

DO YOU WANT TO HELP US AND YOUR FELLOW FRUIT-GROWERS ?

If so, when you have a spare half-hour and your trees have been planted a few years and are beginning to show results in bearing, drop us a few lines as to which sorts are proving the most successful with you, especially in apples, pears, peaches, apricots, nectarines and plums. **We are fully posted on the citrus position throughout the Union.**

We shall have these tabulated as a record, and it will assist us to minimise the risk of beginners planting other than the most suitable varieties. We already have a great deal of data in our office, outside the personal experience of our Managing Directors, but for the sake of the industry, and for planters in general, and for our own sake, we wish to reduce waste planting to an absolute minimum, and thus avoid loss of labour and money.

INSTRUCTIONS TO CORRESPONDENTS WHEN ORDERING.

PLEASE READ VERY CAREFULLY.

1. All correspondence should be addressed to H. E. V. Pickstone & Brother, Limited, P.O., Simondium, Cape Province.

All Money Orders payable at Simondium.

Bankers: **Standard Bank, Paarl.**

Telegraphic Address: "Pickstone, Simondium."

Telephone: No. 12, Simondium.

Order Forms 2. Customers will oblige us very much by using, as far as possible, the printed order form annexed. We have inserted it in duplicate as so many clients send in several orders, either for themselves or friends.

When many hundreds of orders are received, prompt despatch is greatly facilitated thereby. However, if this is not possible, please write your order legibly on a separate sheet and not mixed up in the body of the letter.

Alterations and Delays **Alterations or delays to Orders.** Under no circumstances can we accept alterations to any order later than fifteen days before the arranged date for despatch.

Packing Charges 3. All orders are carefully labelled and securely packed in the best manner, for which a moderate charge (which does not nearly cover the cost), will be made—3s. per 100, or £1 per 1,000.

The charge for Citrus trees, when put up in our specially constructed crates in the manner in which we usually pack same, will be at the rate of 9s. per 100. **Our smallest size of citrus crate holds from 10 to 18, depending on size of trees. If an order is for less than 10 trees, they are packed in a bale** instead of a crate; therefore it is better, when convenient, to make the order up to not less than that number, as the trees usually travel better in a crate. The charge for packing the small size crates is 2s. 6d.

When clients desire small lots of Citrus trees, namely, less than 10 in number, packed in a crate, we shall be compelled to charge 3s. 6d. to 4s. for the packing, as so much additional costly packing material is required to fill up the vacant space.

Responsibility for delay or loss 4. We must emphasize the fact that all orders are at the risk of the purchaser after being put on rails. We must not be held responsible for any loss or delay that may occur through the negligence of the forwarders, or for the failure of any trees after being planted, as it must be recognised that once the trees have been placed on rail, well packed and in good condition (which we guarantee), they are entirely beyond our control.

Late Planting 5. Kindly specially note that it is very difficult to hold back trees standing in the nursery beyond the middle of August. This is, of course, dependent on the season, and the component parts of the order. For instance, Apples can be readily held back until later, but the sap rises in Almonds, Quinces, and certain varieties of Peaches much earlier. It must, therefore, be distinctly understood, between buyer and ourselves, that we shall, if necessary, in the interests of our client, send on the order at the latest date possible. In any instance we shall inform our client to this effect by wire so that he may have opportunity to prepare the land.

Complaints 6. Our customers are requested to notify us, **immediately on receipt of consignment**, of any mistakes that might have occurred in their order, or any overcharge or other error in their invoices, and we will at once gladly rectify the same, as we desire to conduct our business in every way satisfactory to those who may favour us with their confidence.

Substitutions of Varieties 7. Where particular varieties are ordered, and particular sizes, kind of stock, etc., it should be stated whether, and to what extent, substitutes will be allowed in case an order cannot be exactly filled, as sometimes happens in all establishments. In case no instructions to this effect accompany the order, **we shall feel at liberty to substitute other varieties as nearly as possible similar to the original order**, never, however, supplying stuff at a higher price than that of the original order.

If no substitution is desired, write "**No substitution**" on order sheet, and we will fill only as far as we have the stock.

Substitution of Sizes Should a customer wish a certain number of first-size trees of a particular variety, and we find we are short of the latter size, second size of trees, at the cheaper rate, will be sent to fill the order, **unless instructions are given to the contrary at the time of ordering**, but first-size trees, at the higher rate, will never be substituted for second-size trees without the sanction of purchaser.

When Selection Left to us When the selection is left to us, customers should state what proportion of early, medium or late fruit is wanted. **Please remember this.**

Full Address Clients are requested to kindly write their full postal address on each communication, as we find occasionally delays occur through insufficiently addressed letters.

Terms Our terms are nett cash on receipt of consignment.

TO CLIENTS IN KENYA COLONY, UGANDA PROTECTORATE, TANGANYIKA, PORTUGUESE WEST AFRICA, MOZAMBIQUE AND OTHER FOREIGN PARTS.

We have much pleasure in informing clients that Kenya Colony is now open to us for the supply of Citrus Trees of all varieties as well as for Deciduous Trees and Vines. For some years we have been excluded from this territory so far as Citrus is concerned on account of the presence of citrus canker in the Transvaal, although this serious disease has never been within a thousand miles of our nursery. The position has lately been reviewed by the Government of Kenya Colony with the above result.

Previous to the restriction mentioned thousands of our Citrus trees were each year exported there with marked success and very little loss.

When ordering trees it is necessary to state the port to which clients wish them shipped, and also desirable that we are given the name of forwarding agent who will receive the trees, clear them and reconsign them to their ultimate destinations. If no Forwarding Agent is given we shall consign to our own Agents at the Port.

Accounts for freight are rendered by the following mail. Remittances may be made by bank draft, or by money order on Simondium Post Office.

In Kenya Colony, Uganda, Tanganyika and Mozambique, **permits must first be obtained** from the Agricultural Departments of these countries.

TREES SENT BY PARCELS POST.

UNION AND BASUTOLAND.

Under the Post Office Act clients are enabled to have their trees sent by Agricultural Parcels Post in the Union of South Africa at nominal rates. The charges are as follows:

Up to 1½ lbs.	3d.
Up to 3 lbs.	6d.
Up to 6 lbs.	8d.
Up to 9 lbs.	10d.
Up to 11 lbs.	1/-

A package of 11 lbs. would contain about 20 second size trees or 12 first size.

We charge 1s. per bale for packing.

Orders for 50 or more trees by **Agricultural Parcels Post will be sent postage free** to any Post Office in the South African Union.

It will be seen that clients at a distance can get their trees in some cases cheaper by post than by rail.

We may mention that for Parcels Post orders we naturally have to select the lighter trees, so that clients obtaining their trees by post must not expect to receive as large a tree, either in first or second sizes, as they would receive were the trees sent by rail.

We therefore recommend our clients to have their trees sent by rail whenever convenient unless small trees will satisfy them.

Parcels Post is very well suited for the transportation of small orders for Citrus trees. By this method orders for Orange and Lemon trees can be sent with a considerable degree of safety quite cheaply. It should be noted that when Citrus trees are packed for post they are partially deprived of their leaves, so that when they are unpacked and planted out it is especially necessary to shade the stems either by a thick coating of whitewash, or by a jacket of straw as recommended later in this Catalogue.

The above rates of postage apply only to places in the South African Union, including Basutoland but not Swaziland or South-West Africa.

BECHUANALAND.

Trees can be sent by Agricultural Parcels Post to Bechuanaland (excepting Ghanzi, Maun, and Kasane) at the following rates:—

Up to 3 lbs.	1/-
Over 3 lbs. and under 7 lbs.	1/6
Over 7 lbs. and under 11 lbs.	2/-

and we will pay postage on all orders for 50 or more trees to this Territory.

TO CLIENTS IN RHODESIA.

Please note that when the trees are despatched the necessary Customs Form is at once posted to consignees together with Advice Note, etc. Clients should wait for this form, and take it to the station with them when they fetch their trees. If they live a long way from the station it is always best to give us the name of an agent who will clear the trees for them and thus save them time.

At present Citrus trees are not permitted to enter Rhodesia owing to the outbreak of Citrus Canker in the Transvaal of some years ago, which is now, however, nearly eradicated. We may repeat, however, this disease has never been within a thousand miles of our Nurseries and we are hoping that shortly the Rhodesian Government will lift this prohibition.

CANCELLATION OF ORDERS.

Possibility of necessity to cancel orders already booked.

A heavy percentage of our business is done by advance booking; but we wish to distinctly point out to customers that we cannot have orders, which have been received and booked months in advance, thrown in on us in July or August. Our selling season is practically ended at that date, and it is then impossible to re-sell the cancelled trees.

In future, therefore, provided an order is not cancelled by **May 31st**, we shall take it that our client intends planting. Many of our clients postpone, from time to time, the despatch of their trees owing to the non-arrival of the always hoped-for rain. We would again point out that, provided the trees at planting are treated as fully described, it is distinctly an advantage not to wait for rain, as, should it come a few weeks later, the trees will already have begun to form the roots, and the rain will materially assist.

PRICES FOR 1928 SEASON.

DECIDUOUS TREES.

Plant from 15 June to 31 August.

SIZES OF DECIDUOUS TREES.

(Except Figs and Walnuts.)

Size 1.—Over 3 ft. in height.

Size 2.—Over 2 ft. in height.

These Sizes are usually much Exceeded.

UNDER 100 TREES:		Size 1.	Size 2.
Apples on Blight-proof Stocks		2/3	1/9 each.
All other Varieties		2/-	1/6 „

OVER 100 TREES:		Size 1.	Size 2.
Apples on Blight-proof Stocks		2/-	1/6 „
All other Varieties		1/9	1/3 „

MULBERRY TREES 2/6 each.

Special Prices for Commercial Planters.

For all sorts including Apples on Cape Seedling Stocks, but excluding Apples on Blight-proof Stocks and Mulberries.

	Size 1.	Size 2.
In lots of not less than 25 trees of a single variety	1/3	1/- each.

EXTRA SIZED TREES (any variety or quantity) 2/9 each.

PACKING 3/- per 100 trees or £1 per 1,000 trees.

NOTE.—Owing to Shortage of Stocks, we regret we shall be unable, excepting under special arrangement, to supply more than 100 **Apple Trees** on **Blight-proof** Stocks to any one client. **Apples** on **Cape Seedling Stocks** can be supplied in unrestricted quantities.

This Price List Cancels

PRICES FOR 1928 SEASON.

VINES.

Plant from 15 June to 31 August.

ON PHYLLOXERA PROOF STOCKS.

Strong Vines 1/- each.

Packing 2/- per 100.

CITRUS TREES.

Plant any time dependent on local conditions.

SIZES OF CITRUS TREES.

Size 1.—Over 2 ft. 6 ins. in height, minimum.

Size 2.—Over 2 ft. in height, minimum.

Size 3.—Over 1 ft. 6 ins. in height, minimum.

These Sizes are usually much Exceeded.

	Size 1.	Size 2.	Size 3.
Under 25 Trees	4/3	3/3	2/9 each.
25 to 100 Trees	3/9	2/9	2/3 „
100 to 1,000 Trees	3/3	2/3	1/9 „
1,000 Trees and over	3/-	2/-	1/6 „

Nartje Trees 6d. each extra in all sizes.

SPECIAL PRICES FOR COMMERCIAL PLANTERS.

In lots of not less than 100 trees of a *single variety*:

Size 1.	Size 2.	Size 3.
3/-	2/-	1/6 each

Nartje Trees 6d. each extra in all sizes.

EXTRA SIZED TREES (any quantity) 5/- each.

Packing 9/- per 100 Trees.

all Previous Ones.

FREE DELIVERY.

Conditions for Free Delivery to all Railway Stations in South Africa, South of the Zambesi

We are continuing our carriage-paid delivery of Fruit Trees and Vines throughout South Africa, and all clients who order 50 trees and upwards, no matter how many varieties or sizes may be included therein, will receive them invoiced at the prices as clearly stated elsewhere, at any railway station or railway road motor station south of Lourenco Marques and Victoria Falls.

On all orders for delivery in Rhodesia north of the Falls and to the Congo Territory we pay railage to Livingstone only, but on the Beira line we will pay as far as Beira.

This clause does not apply to orders which have to be sent oversea. In such cases, carriage will be paid to the port of shipment; Natal orders will, however, be sent per rail.

The 50 trees or over must be sent in one consignment, otherwise they will go forward carriage to pay.

GUARANTEE OF HEALTH AND GENUINENESS, AND CONDITIONS OF SALE.

Every possible precaution is taken to prevent errors, and consequently, while we guarantee our trees to be true to name we can only hold ourselves responsible to replace such trees as may prove untrue to label or to refund the money received for such trees, and we give no further warranty, nor will we recognise any further liability.

We further stipulate that in cases of orders booked for delivery more than three months ahead we shall not recognise any liability in the event of failure to effect delivery on the agreed upon date if such failure be caused by the trees failing to grow to standard size owing to adverse weather or other conditions or by their delivery being rendered impossible or impracticable for any other reason.

This guarantee further ensures to clients that all Apple trees sold by us as worked on blight-proof stock are duly worked on such stock; and again, all Vines are grafted on Phylloxera proof stock.

Every precaution is taken by us and our buds are cut from healthy trees.

All trees at time of leaving our premises, are guaranteed healthy and free from Crown Galls, Insect Pests and other diseases.

ORCHARDS CAN BE PLANTED WHEN LAND IS DRY.

Over by far the largest area of South Africa, the rains fall in the summer; as a rule, the earlier may be expected in October and November, rarely in September. This makes the risk in planting young trees the first season a slightly greater one than where the rains fall during the planting season. Under the latter condition the tree is planted in moist soil and gets nice rains on it after planting settling it comfortably to begin its growth. Whereas under the former condition the soil is parched and dry, and great care is needed

in planting the tree to see that water moistens all the soil around the roots, and that such soil is kept moist until the first rain comes ; if this is not done, a risk of the death of the tree is taken. We touch on this under the head of " Initial Difficulties in Starting an Orchard in South Africa," in our Mr. H. E. V. Pickstone's " Hints on Fruit Growing."

That many planters find this a source of anxiety we are sure ; we are continually getting letters during the planting season asking us " to hold back the trees as long as possible as the rains have not yet come." Now it is impossible to hold back trees, *i.e.*, keep them dormant for an indefinite period under the weather conditions prevailing in September, in either Eastern or Western Provinces ; and unless they are absolutely dormant, they should be already planted *in situ* in orchard.

After a wide experience with our trees in the Transvaal, Orange Free State and the Eastern Province, Rhodesia and Natal, where these conditions prevail, we are satisfied that there will be very little, in fact, no loss, if the planter will see that, at planting, each tree gets a couple of buckets of water round and between the roots after being set. In applying it, first scoop away the surface soil and pour the water into the hole. When all the water has sunk away, throw back the dry surface soil. Trees treated in this manner should remain moist for a fortnight ; and after that time they can be similarly treated every 10 days until the rains come. By that time they should have made a good start with their season's growth.

DEEP PLANTING OF TREES.

We specially wish to impress upon planters that trees should be planted in orchard at exactly the same level they stood in the nursery, no shallower and no deeper. We have seen many instances where trees have been planted up to even one foot too deep—such trees will **never** give a good result. An injury to the nurseryman, and fatal to the orchardist. Hence this warning.

SUMMER PLANTING OF FRUIT TREES.

We are now, right in the middle of the summer, receiving quite a number of orders for immediate planting. We advise our clients who want deciduous trees, that unless they have been ordered and placed into the cold storage during the winter, we cannot supply them at this time of the year, and we strongly deprecate the planting of trees in growth. If they are healthy trees they must be in strong growth now ; and if they are unhealthy, they are not worth planting at all. In reply, we hear that many in the Transvaal are recommending this procedure ; and we therefore wish to state that it is useless applying to us during January and February for any trees except all varieties of the Citrus family. These trees do excellently well planted in the summer, when they have clearly defined dormant periods, and we are always prepared to book Citrus orders for delivery then.

COLD STORAGE OF TREES.

If, for some reason or other, the scheme mentioned in the above paragraph is impossible, there is the alternative of placing the trees in cold storage. We have made arrangements to do this for the benefit of our customers at cost price, which is 1s. per bale per week. Size of the bale is not taken into consideration.

Our experiments enable us to guarantee trees dealt with in this way to remain dormant, and in fine planting condition, until about the middle of October, and they most probably may be kept in this way in good condition until November, but it must be understood that when detained so late, we can offer no guarantee.

It must be borne in mind that by taking this course some risk is entailed, particularly when it is desired to hold the trees back till late in the spring, so **we would advise planters not to have their trees placed in cold storage unless the suggestion offered in the preceding paragraph about watering the trees until the arrival of the rains is really impracticable.**

We find that the beginning of August is the best time to place orders in cold storage, and trees can be taken out at any time, on our client wiring, or writing to us that rain has fallen.

It would also be of great assistance to us, if, at the time of placing orders for cold storage, customers would give us full particulars as to destination, route, and ultimate delivery before the trees are sent into the store. If this information is left over until the instructions are received to forward the consignment, a great deal of trouble is brought about in getting the bales correctly labelled, as our trees are cold-stored in Cape Town.

DECIDUOUS TREES.

How to Handle Deciduous Trees after Arrival.

On Receipt of Consignment. As soon as possible after the trees have arrived each bale should be carefully opened up. After the canvas covering has been removed, care must be taken to cut first the outside strings which bind the entire contents together. There are usually several bundles of different varieties of trees in each bale, and if the strings round these are cut first by mistake these different sorts may get mixed.

The bale is then unpacked, and when the trees are in good condition, as is usually the case, they should be planted out immediately. If it is not convenient to do so the trees must be heeled in in a thoroughly well drained and shady spot, that is, placed slanting ways in a trench with the roots well covered with fine soil. In this way, provided the soil is not allowed to dry out, they will keep in good condition for some weeks; but they must be planted out before the first sign of growth shows. **Extreme care must be taken that trees are not heeled in in a naturally wet spot, or one likely to be flooded.**

If the trees happen to arrive a little dry, they should first of all be entirely immersed from twelve to twenty-four hours in cold water, preferably running water. If they arrive very dry and shrivelled, through delay en route, they can be immersed for a period of forty-eight hours in cold water. It will seldom be found that the trees are altogether past recovery. If the trees arrive very dry, another good plan is to bury them completely for two to three days in moist soil.

Trees may be kept without Unpacking In cases where a cellar, barn or other cool place is handy, the bale may be kept there for a week or so with perfect safety without being unpacked. It is only necessary to immerse the end of the bale where the roots are for a few minutes in water. The only objection to this method is that without opening the bale it is not always easy to know what condition the trees are in, so that unless one is first assured of their being in good condition, it is better to open up and heel in, or treat as above described.

Cutting down of Deciduous Trees at Planting

Always cut about knee height, or thereabouts; should the trees have good healthy, strong, lateral branches about this height, shorten these in to about six inches from the main stem; this particularly applies to two-year-old trees. Walnuts do not need cutting down at planting.

Descriptive List of Deciduous Fruit Trees.

NOTE.—The first month named after the termination of the description is the month when the variety ripens. The last-named signifies until when it should be marketable, e.g., Cleopatra ripens March, keeps till May when properly stored.

The varieties marked with an asterisk (*) are those that our firm have introduced to South Africa, and a reference to these will show to what a large extent the present position of the fruit trade within the Union—and also outside—is due to the enterprise of our firm during the last 35 years.

Apples.

APPLES.—Owing to a shortage of blight-proof stocks, we regret we shall be unable to supply more than 100 Apples on blight-proof stock to any one client. This quantity can be made up of assorted varieties, or of a single variety in such varieties as we have sufficient trees available.

***Ballarat Seedling** A first-class culinary apple; large, green and yellow, with red cheek; late. Approved of in this country. Can be recommended.

***Ben Davis** A popular and widely-distributed apple in America, especially through South and South-West. Tree hardy, free grower, abundant bearer, and late bloomer; fruit often of not the best quality, but excellent keeper, medium to large, skin yellowish, splashed red, flesh white, tender, moderately juicy. March to July, when stored.

Blenheim Orange Pippin An old and well-known apple of English origin, suited for cooking and dessert. Large, yellowish, becoming deep orange, stained and streaked with red on the sunny side. February and later. Tree a vigorous grower. Late bloomer. Does well in South Africa.

Cellini An early cooking apple of English origin. Medium to large size, deep yellow, streaked or mottled red; flesh white, juicy, tender, fresh and pleasant. Free grower and excellent bearer. A fair success East and West. January and February. Will not store.

Christmas An old Colonial variety, sometimes called New Year apple; is highly recommended, a good bearer and free grower, fruit of medium size and high colour. Known as the Lady apple in Natal. January.

Cleopatra An Australian variety that has been thoroughly tested here. Of good medium size, green, bright yellow when ripe, and an excellent shipping apple. Tree a fair grower, and very heavy and very regular cropper. Late dessert. March—May, when stored. Subject to bitter pit and mildew.

***Cliff's Seedling** Fruit large, "Pearmain" shaped, and reported highly coloured. Flesh yellow, crisp, juicy and of exquisite flavour; a late keeper and valuable market variety. Tree remarkable for its upright and vigorous growth; perfectly blight-proof; late. Very little South African data.

***Commerce** An American variety of great merit, introduced by us. A free grower and heavy bearer. Fruit nearly round and of large size. Keeps well. April and later. Behaviour here good. Suitable for export.


Delicious A most beautiful apple from Iowa. Tree a strong grower, hardy and most prolific bearer; fine colour like "Jonathan," and most exquisite flavour. One of the best keeping apples. Promises well here.

***Early Harvest** One of the few American apples highly approved of in England. Medium to large, pale yellow. Tree moderate grower, free early bearer. Flesh white, tender, juicy, crisp. A very early dessert apple of great excellence. Early December.

Emperor Alexander A cooking apple, showy, and of the largest size. Skin greenish yellow, streaked with red on the sunny side. Flesh white, juicy, tender and slightly aromatic. Strong and vigorous grower and good bearer. February—March.

Esopus Spitzenberg Rather large, slightly conical. Colour a rich red, obscurely striped, flesh yellow, crisp, acid, rich flavour, bears well here. Tree upright grower, willowy wood, tree in appearance like the Jonathan. Keeps very late into winter, when stored. Promises well here.

Gravenstein A German apple, in very good repute all over the world. Tree very vigorous and productive and an early bearer. Fruit large, greenish yellow, at first becoming bright yellow, and beautifully streaked and pencilled with red and orange. Flesh tender and crisp, somewhat aromatic. Valuable for market and cooking, succeeding admirably wherever grown. One of the best autumnal fruits. February—March.



JONATHAN APPLES.

***Jonathan** A beautiful American dessert apple, suited to most soils, shoots slender, but a vigorous upright grower, and very productive. Fruit medium size, skin yellow, with lively red stripes, deepening to brilliant red next the sun. Flesh white, sometimes pinkish, tender and juicy, with a mild vinous flavour. More extensively planted than any other in Australia. Subject to mildew on High Veld. February to April. Can be stored, and suitable for export.

***King of Tomkins County** Large, handsome, American apple, popular in the export trade, increased planting being recommended here. Large, striped yellow and red, tree vigorous and productive. Flesh yellowish, rather coarse, juicy, with a decided aromatic, vinous flavour. April to August. Stores well.

Late Bloomer This is the same variety as the Wemmers Hoek.

***London Pippin** Large, roundish, slightly flattened; colour greenish yellow, stalk short, flavour sub-acid. Tree a fair grower. One of the favourite Australian export apples. March to August. Stores well. Suitable for export.

***Lord Wolseley** A New Zealand apple of the greatest excellence, suited for either dessert or cooking. Of medium size, a moderate grower, a good cropper, foliage thick and dense, nearly blight-proof. April to August. Stores well. Subject to water core. Suitable for export.

***Missouri Pippin** Large; pale whitish yellow, splashed with light and dark red; flesh whitish; crisp, moderately juicy; sub-acid. Can be recommended. March—September. Stores well. Suitable for export.

***Monmouth Pippin, or Red Cheek Pippin** Of American origin, size large, pale yellow, blushed red, with russety spots. Free grower, and productive; good shipper and late keeper. Flesh juicy, fine, crisp, sub-acid, aromatic. April—August. Late bloomer.

***Nickajack** Fruit large, round, colour yellowish, striped and splashed with two shades red. Flesh yellowish, compact, moderately tender and juicy. A well-known American variety, ripening late and keeping well. The value of this variety is chiefly on account of its extreme hardiness and productiveness. Does well along the Eastern Coast Districts. April and later. Stores well.

Northern Spy A very popular American dessert apple of the best quality. Tree a vigorous grower and does not come early into bearing. Fruit large, greenish yellow, with a yellow red cheek next the sun. Flesh white, tender, juicy, crisp, sub-acid; a four months' keeper. Subject to bitter pit. Blight-proof. May—September. Late bloomer. Stores well.

***Ohinemuri** A New Zealand dessert apple of great excellence, fetching the highest price in Covent Garden. A moderate grower and early bearer. Flattened, skin bright yellow, slightly clouded brown; an excellent keeper. Maintains its reputation here. Same as "Munro's Favourite," the great Australian shipping apple. One of the best all-round varieties here. April—September. Stores well. Suitable for export.

Prince Bismarck Fruit large and handsome; skin yellow, sprinkled all over with broken streaks of red, especially on the sunny side. This is a New Zealand variety. Flesh white, tender, juicy, slightly acid. March—July. Stores well.

Prynnberg Beauty


***Red Astrachan** Of Russian origin, the standard early apple in California. Vigorous grower ; free bearer. Of good size, almost entirely red, a little yellowish on the shady side. Highly esteemed in its season. Must not be allowed to hang after ripening. Sells on its appearance. January. Early bloomer. Will not store.

Reinette du Canada A large and handsome culinary and dessert apple. Skin greenish yellow, brownish on sunny side, covered with numerous brown russety dots. Highly esteemed in Australia. Approved throughout Africa. March to May. Stores well.

***Rhode Island Greening** A large and widely popular American dessert apple. Tree strong, vigorous, spreading grower ; very productive. Fruit large, roundish, dark green, becoming yellow when ripe. Flesh yellow, fine grained, and containing a lot of aromatic juice. March—June. Stored.

Rokewood An Australian variety, highly coloured ; beautiful appearance. One of the best late keepers, and the leading variety exported from Australia to South Africa. March and later. Promises well here. Suitable for export.

***Rome Beauty** An American winter dessert apple of great excellence, held in high esteem throughout the United States, and also in Australia, where it is particularly favoured by exporters. A moderate grower and late bloomer. Fruit large, roundish, yellow, shaded and striped with bright red, and sprinkled with light dots. Flesh yellow, tender, juicy, and sub-acid. April—August. Bears very young. Very late bloomer. Stores well. Cannot be too highly recommended, especially for high Veld. Suitable for export.




OHINEMURI APPLES.

***Sharp's Early** Perfectly blight-proof as far as tested. Fruit of good size and most handsome appearance, yellow ground, covered with red and crimson stripes; tree a regular bearer and heavy cropper; ripens mid-December—January; one of the best early dessert apples. Highly recommended here.

Versfeld's A popular late apple throughout the country, always fetching good prices in the market. A free grower and early bearer, and enjoys considerable immunity from Aphis Blight. Fruit large, greenish yellow, freely streaked with red, almost entirely red on the sunny side. (The correct name is "Red Cauldwell.") March—September. Stores well. Highly recommended.

Wemmers Hoek A very old Colonial variety, too well-known to need description, hardy and prolific, but we consider of secondary quality; pays well however. Known throughout Eastern Province as Late Bloomer. March—September. Stores very well.

***White Winter Pearmain** Probably of American origin; highly esteemed in the Western States. Tree strong and healthy grower, and regular bearer. Fruit medium to large. Skin pale yellow, with a warm cheek, sprinkled with minute russet dots. Flesh yellowish, crisp, juicy, pleasant, sub-acid; nearly blight-proof; very popular in Eastern Province. April—August. Stores well. Recommended here. Suitable for export.



ROME BEAUTY APPLES.

***William Anderson** A very pretty dessert apple, above medium size, good flavour and keeps well; tree blight-proof; late.


***William's Favourite** A very hardy dessert fruit, introduced by us from Australia. Is of good size, and ripens mid-December. Can be highly recommended here.

FOR PRICES SEE PAGES 14 and 15.

***Wine Sap** Medium size, roundish, flesh firm, crisp, juicy, Tree a healthy grower and free bearer. A successful variety here, but not of the largest size. March and later. Stores well.

***Yellow Newton Pippin** One of the most valuable of American apples largely figuring in the export trade from that country. Large, roundish, more or less flattened, with brownish-red cheek. Flesh firm, rich, juicy, with very rich, high flavour. Hardy and an excellent bearer. A good keeper, does not maintain its reputation here. March—September. Stores well.

***York Imperial** Medium size, oblong, oblique, smooth, colour yellow, shades red, indistinct red stripes, flesh yellow, rich, sub-acid, very good. A beautiful apple here, but small. April—September. Stores very well.



BON CHRETIEN PEARS.

Pears.

We are much indebted to the kindness of the Cape Orchard Co., Ltd., for the accurate data *re* keeping qualities in storage.

Bon Chretien (Williams)


The Bartlett of the United States. A prime favourite all the world over, unsurpassed in its season as a market fruit, and has no competitor for drying and canning purposes. A free bearer and upright grower. Ripens up well after picking, and will be mealy and unpalatable if allowed to ripen on the tree. Fruit large, pyriform, pale green, changing to yellow when ripe, and reddish on sunny side. Flesh white, fine-grained, buttery, melting, delicious flavour and powerful musky aroma. Bears young. January—March. Will not safely store more than two months.

Beurre Bosc Large, true pyriform, of good quality. Skin yellow, largely splashed with russet. Flesh white, fine, melting, buttery. A free grower and prolific bearer; a dessert pear of good quality that does well in this country. February and later. Excellent keeper. Will store till August.

Beurre Clairgeau A handsome showy pear of the largest size. Skin fine lemon colour, tinged red on the sunny side. Flesh white, juicy, sweet, slightly coarse. A free grower and very productive. Is not much favoured in Covent Garden. February and later. Fair keeper. Will store till June.

Beurre Diel or **Magnifique** A large and handsome dessert pear, of Belgian origin. Skin yellow, deepening marble, with russety dots. Flesh yellowish white, sweet and delicious. Tree a particularly free grower. This pear is grown in several districts in the Cape Province, as *Beurre Magnifique*, and is highly esteemed. Good shipper. March and later. Excellent keeper. Will store till July.

***Beurre Hardy** Fruit large, handsome, strikingly even in contour. Skin shiny yellow, covered with russety spots. Flesh white, sweet, melting, and perfumed. It is worthy of note that this pear is very acceptable in Covent Garden. One of the very best pears and grows well in the Cape Province. February and later. Good keeper. Will store till June.



BEURRE BOSCH PEARS.


Beurre Superfine Fruit above medium height, three inches wide and a little more high, obovate, somewhat uneven on the surface. Skin greenish yellow, considerably covered with patches of russet, stalk over an inch long. Flesh yellowish white, fine grained, buttery and melting. A very fine pear indeed. Bears and grows well here. March and later. Will not store more than six weeks.

***Clapp's Favourite** A large early pear, resembling William's Bon Chretien but ripens about one week earlier than it. Skin pale yellow, with brown dots. Flesh melting, buttery, juicy, with sweet, vinous flavour. Tree very hardy and productive, and likely to succeed where others fail. Very satisfactory in Western Province, but will not store satisfactorily. December—January.

December The well-known Cape Christmas Pear. Tree a vigorous and upright grower, an excellent and regular bearer. Fruit small and of good flavour. The earliest known pear, ripens early December. Adapted to the whole of South Africa.

Doyenne du Comice Large, varying, roundish, pyriform. Skin yellow, covered with specks and patches of brown russet particularly round the stalk. Flesh very tender, buttery, melting, juicy and rich. A most delicious dessert pear. Tree a healthy grower, but shy bearer in Africa. Stalk half an inch to one inch long. Good for export. Fetches each year the highest prices of all pears in all markets. March and later. Good keeper. Will store till June—July.

Duchesse D'Angouleme Fruit large to very large, roundish, obovate, very uneven in outline. Skin pale yellow, covered with veins of pale brown russet; sometimes takes a brownish tint. Stalk an inch long and stout. Flesh white, buttery, melting, delicious. A dessert pear of great excellence, and an excellent shipper. Tree of slender growth. April. Good keeper. Will store June—July.



BEURRE HARDY PEARS.

***Easter Beurre** A standard late variety all over the world, of large size and excellent quality. Fruit roundish, flat, sometimes almost square. Skin yellowish green, freely sprinkled with russety dots. Flesh white, firm, grained, very buttery, melting, delicious. Tree a moderate grower, free bearer. Ripens too late for export. Will keep several months. May and later. Excellent keeper. Will store till September.

***Fertility** A most prolific variety, raised by Mr. Rivers; of medium size. Flesh half melting, juicy and sweet, with perfumed flavour. Stalk three-quarters of an inch to one inch long and stout. Bears young. March and later. Will not store satisfactorily.

***Forelle or Trout Pear** The most beautiful of all pears, of secondary quality only in Europe, but in California it improves in quality, and takes brilliant colour, which makes it unsurpassed as a showy table fruit. Ships well. Must become popular in Covent Garden. Fruit medium size, oblong, obovate. Skin yellow, brilliant red on sunny side, covered with reddish dots, resembling trout. Flesh white, delicate, melting, sugary and aromatic flavour. Hardy and vigorous grower. Bears young. March—July. Excellent keeper. Will store till August.

Gansel's Bergamotte Fruit medium-sized, roundish inclined, obovate. Skin greenish-yellow on shaded side and reddish-brown next sun, the whole strewn with russety dots and specks. Flesh white, buttery, melting, but gritty; very juicy, rich, sugary, and aromatic, and strong musky flavour. A dessert pear of highest merit; mid-autumn. Shy bearer; needs fertilising from adjacent sorts. Will store safely two months.

Glou Morceau A well-known and popular late shipping pear. Fruit above medium size. Skin pale greenish-yellow, covered with greenish-grey dots. Flesh white, tender, sugary and buttery; a very good dessert pear, well-known in the S.A. export trade, and maintains its reputation here. March—July. Excellent keeper. Will store till August.

Jargonelle Fruit medium and pyriform; skin smooth and greenish yellow, tinged dark brownish-red next sun. Flesh yellowish-white, tender, melting, and juicy; rich vinous flavour and slight musky aroma. Tree healthy and vigorous. A well-known early dessert pear; ripens shortly after December pear, and should be picked when green and ripen off the tree. Will not store.

Josephine de Malines A late dessert pear of first-rate quality and of good size. Skin yellowish-green, reddish on sunny side. Flesh yellow, with a tinge of red, melting, sugary, juicy, with a fine aroma; straggling in its growth. Hardy and a good bearer. Very satisfactory in Africa. Highly recommended for export. March to August.

***Keiffer Hybrid** A very hardy American pear, most extensively grown, particularly through the Southern States, where thousands of acres of the variety alone are planted out; also being largely grown in Australia, where it succeeds equally well. A vigorous grower, and free from blight. Fruit of large size, rich colour, and good quality, excellent for canning. Should be house-ripened. Fruit is of good quality throughout Africa. Can be recommended as a money getter. March and later. Excellent keeper. Will store till September.

***Le Conte** Large pyriform. Skin yellow. Of medium quality only, but tree remarkably vigorous, healthy and prolific. Medium early. Will not store satisfactorily.

Louise Bonne de Jersey A very excellent pear, free grower and abundant bearer, carrying the fruit in clusters. Fruit medium large, pyriform; skin yellow on the shady side, reddish next the sun. Flesh white, juicy, and melting, with perfumed flavour. Good shipper. Well suited throughout Africa. February—April. Fair keeper up to two months. Good for export.

Magnate Fruit large, even and symmetrical in outline. Skin covered with dark-brown russet freckles. Flesh yellow, tender, melting, rather gritty at core; richly flavoured, somewhat of a rose-water perfume. Strong and free grower. Autumn.

Sweet Safraan An old Dutch variety; too well known to need description.

***Tongres** An excellent variety, and a heavy and early bearer. Tree takes a natural shape; is an upright grower. Fruit a true pyriform, highly coloured on the sun side. Is not a good keeper. March and later.

***Vicar of Winkfield** Fruit very large, pyriform; skin smooth, greenish-yellow, with a faint tinge of red on the side next to the sun. Flesh white, fine grained, half melting, juicy, sweet. A large pear suitable for stewing; much inferior to Keiffer; does well in Australia, also here. April and later. Good keeper; may be stored till July and August.

Winter Nellis A well-known standard variety. Tree characterised by a particularly slender growth. Fruit medium size, rounded; skin yellowish, covered with very numerous russet spots and patches of brown russet. Stalks from one inch to one and a half inches long, curved. Flesh yellowish, finely grained, buttery, vinous, with a fine aroma. A splendid late variety which suits the frostless districts of the country admirably, the fruit attaining a size not dreamt of in Europe. Splendid for shipping, and popular in London. March—August. Excellent keeper. Will store till August.

Winter Safraan This old and well-known variety we have taken into stock, as we find many farmers scattered through South Africa wish to plant it. We recommend it as a Home Orchard general utility pear. Stores several months.

Peaches.

FREESTONES.

Angel A Chinese variety, large, roundish, slightly pointed, skin yellow, highly washed with red, flesh white, melting, juicy. Blooms later than Peento.

Belle Bauce Highly coloured, large fruit, of best quality. Mid season.

***Brigg's Red May** A Californian Early. Size medium to large. White skin with red cheek. Flesh greenish-white, melting, juicy, firm and delicious. Good shipper. Stone partially free. A standard early.

Brook This is a chance yellow flesh seedling raised by Mr. A. T. Brook on his orchard at Silverton, near Pretoria. It closely resembles "Foster," and may have originated from a pit of that variety. It has been tested and propagated by the Horticultural Experimental Station at Potchefstroom, and is recommended for planting in the middle or bushveld districts.

Constantia A selected old Cape variety of first-rate quality, appearance and flavour, especially suited to the export trade. A mid-season variety, ripe in January.


Crimson Galande Fruit large, roundish. Skin almost entirely covered with dark crimson, nearly black. Flesh very tender and melting, very much stained with red at the stone, from which it separates freely. A very excellent peach. Tree a free grower. Mid-season.

Dagmar Large; melting and rich. Skin very downy and of a deep crimson, very handsome. This is a seedling from the Early Albert peach; glands kidney-shaped, flowers small.

Dr. Hogg A delicious and well-known English peach of great merit. Medium to large size; skin thin but tough; yellow, dotted with crimson, and red cheek. Flesh yellowish-white, melting, rich and delicious, red at the stone, from which it parts freely. A good shipper. Maintains its reputation here. Mid-season.

***Duchess of Cornwall** An early peach, ripening with Alexander. Medium size. Grows well and bears freely.

***Duke of York** A good highly-coloured freestone peach of fair size and excellent flavour. Ripens just after Alexander. Bears well. Highly recommended for export.



CRIMSON GALANDE PEACHES.

Early Alexander Fruit greenish-white, nearly covered with red. Flesh firm, juicy, partially freestone. Ships well. Maintains its reputation here. A standard early. Does well generally throughout South Africa, except in the Low Veld; needs a sheltered spot.


***Early Crawford** A peach of New Jersey origin, planted more than any other variety in California. Very large. Skin yellow with red cheek. Flesh yellow, rich and excellent. A perfect freestone. Healthy and productive. Well adapted for market and for canning. Splendid for drying. Uncertain bear in Africa. Mid-season.

Early Rivers An early English peach, highly esteemed in Australia, and maintains its reputation here. Fruit large, roundish; skin pale yellow; blush on the sunny side. Flesh pale to the stone, tender, juicy, rich. Too tender for export. Heavy bearer.

***Elberta** Fruit large, yellow, with red cheek, freestone. Flesh yellowish, highly flavoured and juicy. A mid-season variety, free growing and healthy; of very great repute in America. Has done well here. Our best yellow. Mid-season. Is a general favourite throughout this country. Bears well, and suited for canning, drying and export, and is gaining in popularity in England.

Florida Crawford Mid-season variety. Large, roundish oblong; light yellow with red cheek. Flesh yellow, melting, juicy, with rich flavour. Quality excellent. Is reported to succeed excellently in the Transvaal, and is one of the few varieties which succeed on the Low Veld.

***Foster** An Eastern American peach, widely grown and much esteemed in California. Very large. Colour deep orange, red on sunny side. Flesh yellow, very rich and juicy. Ripens a week before Early Crawford. Very good for drying, and good for market. Uncertain bearer here. Mid-season.



PUCELLE DE MALINES PEACHES.

Gladstone Fruit very large, roundish, and depressed at crown. Skin pale, mottled red cheek. Flesh white, very tender, melting, juicy, and freely separating from the stone. Very free grower. A very late peach of Mr. Rivers' raising. One of the best late peaches here.

***High's Early Canada** An early freestone. Skin whitish-yellow, marbled with red on the sunny side. Flesh white, juicy, melting, medium size. Ripens in December. Good for export.

- Improved Waldo** Said to be an improvement on the Waldo described elsewhere.
- Inkoos** This new variety is at present the earliest of the standard Export varieties. It is of good flavour and appearance, and ships well.
- Killiekrankie** Chinese strain of good size and quality. Ripens end of October. Strongly recommended for tropical areas.
- *Late Crawford** Of similar origin to Early Crawford. Very large, roundish, yellow, with dark red cheek. Flesh yellow; flavour rich and excellent. Markets and drying.
- Le Vainqueur (Victor)** Large creamy white, with blush cheek; flesh tender, juicy, melting, and delicious; freestone; ripens before the Early Alexander. Suitable for export and popular as an early in Union markets.
- Mamie Ross** Tree vigorous, upright grower, regular bearer; flesh white, semi-cling, of extra large size and good flavour; ripens first week in January. Unsuitable for export but valuable for local markets.
- *Mary's Choice** An American variety, popular in California, large, yellow, with a red cheek resembling an Early Crawford, but ripening a little later. Suited for markets and canning, and excellent for drying. Is doing very well here. Mid-season.
- Mayflower.** Of French origin, ripens early—14 days before Early Alexander. Fruit of fair size, shape and quality, and of high colour. Semi-cling. Has not yet been largely planted. Well worth testing, especially in early districts.
- Mountain Rose** A second early peach, of good flavour and quality and fair colour. Ripens after Early Alexander, and is very desirable as a follower of the very earlys. Has proved satisfactory in Africa.
- *Muir** A Californian seedling of great excellence, suited for shipping, canning and drying, but excelling in the latter field, where it yields a heavier percentage of dried fruit to fresh of any known variety, viz., 1 lb. of dried fruit to less than 5 lbs. of fresh. If grown on rich soil the fruit will be large to very large. Flesh yellow, very dense and sweet. A free bearer. A perfect freestone. Does well in the Western Province and on the High Veld. Mid-season.
- Nectarine Peach** An English variety which has proved quite satisfactory in South Africa. Fruit of good size and high colour; skin very smooth, exactly resembling a nectarine; flesh richly-flavoured, juicy, red near stone. Ripens during February.
- *Newhall** A Californian, very large; skin yellow, deep red cheek. Flesh yellow, juicy, rich vinous flavour. Ripens one week ahead of Late Crawford. Tree healthy and vigorous. Maintains its reputation here. Latish.
- Oklahoma Queen** Ripens early December. Of good size and appearance. Complete freestone.
- Pallas** A Chinese variety. Good size, nearly round; deep red, dotted with salmon, and tipped with light yellow at the base and apex; flesh white, fine-grained, melting, with a rich vinous aroma; excellent; free. Early.
- Peento** Flat peach of China. The pioneer of this strain of peach, and delicious in quality if well grown. Ripens very early. Succeeds well in the warmer parts of the Transvaal, and other sub-tropical areas.

- *Peregrine** Raised by Mr. Rivers. An early mid-season variety, distinguished by its good constitution and productiveness. The fruits are large and handsome, with a brilliant crimson skin; the flesh rich, highly flavoured, and parting readily from the stone. Excellent for export.
- Pucelle de Malines** A very fine late mid-season peach, bringing high prices on the London Market. Fruit fairly large and round. Skin well coloured on the sun side. Flesh melting, luscious and delicious perfume. Valuable for export.
- Rimer** This splendid peach has been grown for many years by J. C. Rimer, Esq., of Kelvin Grove, Newlands. A most excellent mid-season freestone. It appears to be an old Cape variety almost identical with the Schoongezicht.
- *Salway** An English variety, highly esteemed in California, where it is the standard late peach. Fruit large, roundish; skin yellow, rich crimson cheek. Flesh deep yellow, red at the stone. Adapted for both market and drying. Very late. Good where the country is free from maggots.
- Sea Eagle** A large greeny-white peach, taking fair colour, and distinctly pointed in shape; medium late; of good quality, so far as has been tested here. Late.
- Schoongezicht** The late Mr. Merriman's selected export peach, an old Cape variety of delicious flavour, good size and high colour; a good and regular bearer, and very much esteemed in London.
- Shackleford** A Chinese variety. Ripens early, and highly recommended for sub-tropical parts.
- Thomas Rivers** A large round peach with bright red cheek. Flesh firm, juicy and of good flavour. Freestone. Late.
- Waldo** An early Chinese peach, supposed to be a hybrid of Peento and Honey. Medium size, handsome and best quality, freestone. Ripens with Peento.
- Waterloo** Fruit above medium size, roundish. Skin with light red cheek, mottled, darker red side next sun. Flesh pale, with greenish tinge where shaded. Adhering slightly to stone. Melting, juicy, and rich flavoured; very early, ripens same time as Early Alexander. Good for export.

CLINGSTONES.

(All unsuitable for export.)

- *George's Late Cling** Large, white flesh, yellowish-green with highly coloured bright red cheek. Good for markets and heavy bearer. Maintains its reputation here. Middle March.
- Goodman's Choice** Yellow fleshed clingstone; good bearer. Highly recommended for canning.
- *Lemon Cling** Large, oblong, having a pronounced lemon-shaped point. Skin clear yellow. Flesh firm, yellow, and full flavoured. The best canning peach. Maintains its reputation here.
- Pullar's Cling** Very large, highly coloured, clingstone. Good bearer and grower. Preferred by the Canning Factories to all other clingstones.

***Seller's Golden Cling** Very large and handsome, yellow skin, taking red to bright red on the sunny side. Flesh yellow, firm and sweet and full-flavoured. A splendid canning peach; as a market fruit will sell on its size and appearance. Late mid-season.

Tuscan Cling Very large. Yellow flesh. The best early canning peach. Ripens mid-season.

Van Rensburg The latest of all peaches. Ripens April to May and remains more than a month on tree after ripening. Flesh yellow and rather tough. Size equal to that of other yellow peaches. Clingstone.


White Parvie The well-known old Cape variety; excellent for canning.

Chinese Peaches.

N.B.—Intending planters of the Chinese varieties of Peaches will please note that the sap begins to rise in all these varieties very early in the spring, and there is, therefore, a risk in planting them after mid-July. It is highly desirable, if best results are to be expected, to get them into the ground on or before that date. Our Chinese varieties consist of the following sorts: Angel, Improved Waldo, Killiekrankie, Pallas, Peento, Shackleford and Waldo. The Florida Crawford and that excellent peach the Mamie Ross have also a Chinese strain, but these do not require extra early planting.

Small stocks are also being carried of the following new variety:—
Lovell.

Nectarines.



GOLDMINE NECTARINES.

- Albert** An English variety ; large size ; roundish, oval ; skin pale cream with carmine blush. Stores well ; ripens middle of February.
- De Cousa** An American variety, of good size and high colour ; medium season ; bears very satisfactorily throughout the country, when planted in sheltered spots.
- *Early Rivers** A new variety, produced in England, and a great success in this country. Fruit very handsome, dark violet-red in colour, and very large in size. Ripens early January. The leading early variety for export.
- Goldmine** A New Zealand variety. Fruit of the largest size, fine flavour, juicy, melting, perfect freestone ; colour, bronzy red ; ripens two weeks after Early Rivers. A success in Africa. Very good for export.
- Newton** Very large, rich flavour, fine colour. A fine exhibition variety ; late.
- Stanwick** Fruit large, roundish, oval. Skin, lively green where shaded, purple red where exposed to sun. Flesh white, melting, rich, sugary, and most delicious. One of the most popular later varieties exported home from here.
- Victoria** Fruit large, roundish, oval. Skin pale green and purplish-red on the sunny side. Flesh white, melting, rich, juicy, delicious. Very excellent variety. February.

Apricots.

- *Blenheim** An English variety, in good repute wherever grown. Fruit a good size. Tree a vigorous grower, with abundant thick foliage. Is suitable both for canning and drying. Has also proved one of the best in Australia as a regular bearing variety, yielding a superior dried product. The bearing habits of this variety are fully maintained in Africa, both East and West. Also good for export when thinned.
- Early Cape** This is propagated from selected trees of the well-known Western Province variety, and it needs no recommendation, fetching—always being amongst the first in the market—a most excellent price.
- Moorpark** The best and largest of apricots when a crop can be secured. Unsurpassed for canning, but cannot be strongly recommended for commercial plantations, as it has been widely discarded owing to its uncertain bearing. Should be tried undoubtedly. Does very well, however, in the Transvaal and Natal. The best apricot for export when thinned.
- Old Cape** A selected strain of the best of the Wellington Varieties. Mid-season. Good for all purposes. Heavy and regular cropper.
- *Royal** This is a highly esteemed fruit of French origin, and is maintaining its reputation wherever grown. It is one of the most widely popular apricots in Africa, being a steady and abundant bearer, and healthy and vigorous grower ; the fruit hanging well on the tree, foliage perhaps not so dense as the Blenheim. The fruit yields a first-class canned or dried product. This variety has thoroughly maintained its reputation here wherever planted, and is the favourite for drying. Good for export when thinned.



DIAMOND PLUMS.

***Tilton** A variety imported by us, which has been tested and is highly approved by us. We consider it well worth planting on a commercial scale. Is apparently rather late, of good size, high colour, and excellent flavour, and has proved itself here a regular and heavy cropper. Excellent for canning and drying. Also suitable for export when thinned.

Domestic Plums.

Coe's Golden Drop Fruit very large, being generally about two and a half inches long and two inches in diameter, oval. Flesh yellowish-red, sugary and delicious, one of the most delicious dessert plums, and a good shipper.

Czar Fruit large, oval, roundish. Skin dull red to quite black when well ripened, covered with blue bloom. Flesh tender, sweet, juicy, separating freely from the stone. A very valuable cooking plum. Tree a free grower and abundant bearer. January—February.

Damask A handsome, oval, purplish plum of the largest size, covered with blue bloom. Flesh yellowish, juicy, sweet, delicious. Has a great local reputation. A free grower and good bearer.


Diamond English. Branches long. Fruit of the largest size. Skin black, covered with blue bloom. Flesh deep yellow, coarse-grained.
Freestone. A heavy cropper. February.

Early Golden Drop This is the well-known and very popular early yellow cherry plum ; is valuable for market on account of its earliness, and is much sought after by jam manufacturers on account of its excellent qualities for that purpose.

Greengage It is hardly necessary to describe this plum ; of good repute in every country, and fairly well suited to the several conditions of Africa, although not sufficiently so to recommend commercial planting.

Hahn's D'Almagne A mid-season, dark purple plum of large size, an excellent flavour, a good bearer. Tree a medium grower.

***Pond's Seedling** A very valuable English variety. Fruit very large, oval. Skin from dark red, thickly strewn with grey dots, covered with bluish bloom. Flesh yellowish, juicy, briskly flavoured, adhering to the stone. A beautiful plum. February and March.



KELSEY PLUMS.

Pride of England This is a variety of European plum, which has been in this country for many years, and it is one of the few of this class which appear to thrive in nearly all parts. Fruit medium size to large, flesh greenish to yellow, most juicy and of excellent flavour. Skin dark purple. Freestone. Ripens at New Year, sometimes earlier. Tree free growing and good bearer.

***Reid's Late Gem** A valuable new late plum from New Zealand. A very late and moderate grower. Bears heavily here and can be recommended.

Rivers' Early Prolific Purple, oval, medium size, juicy, and good freestone. A free grower, healthy, and an enormous bearer. Maintains its reputation where fruited here. Will ripen in January and February. One of the best cooking plums.


Rivers' Late Prolific A seedling of Early Prolific, with the same characteristics, but ripens three weeks later.

Japanese and Oriental Plums.

The Japanese plums have proved adaptable for all purposes for which the Domestic plum has been used; and throughout this country, with scarcely an exception, they have been found to thrive and bear with remarkable success. There are but few varieties of the Domestic Plum which, under the circumstances, are likely to prove so profitable. Orchardists are therefore advised to plant the latter with caution, and on a very limited scale.



FORMOSA.



BEAUTY.

***Abundance** Medium in size, varying in shape from round to pointed. Colour rich yellow, splashed and dotted red on the sunny side; in some cases almost completely coloured red. Flesh deep yellow, juicy, sweet, and of good quality. A strong growing, upright tree, and bearing as its name implies. Early mid-season. One week ahead of Burbank in ripening. An early bloomer.

Akorana Early Fruit much resembles Abundance. A vigorous grower, having luxurious foliage, which should be a safeguard against sun-scald.

***Apex** A very early, large, roundish, yellow plum, with beautiful red blush, and with delicate aromatic flavour. A good grower, but rather a shy bearer. Has fetched very high prices in London. Well worth a trial in early parts.


***Apple** One of Burbank's varieties, and one of considerable value. Has been well tested here, and is recommended for export only. Fruit large, roundish, and of the blood class, like Satsuma. Delicious flavour. Needs very careful handling and careful thinning. The highest priced plum in Europe. February.

Beauty This is a newer variety and the earliest shipper of all the Japanese plums, and is well worth planting to obtain the best sequence in ripening.

***Burbank** A very excellent variety, and highly popular. Fruit nearly round, and clear cherry red, with a lilac bloom. Flesh deep yellow, very sweet, with a peculiar and most agreeable flavour. Tree vigorous and an enormous cropper. Excellent for local markets, jam-making or canning. Mid-season. A late bloomer.

***Chalcot** One of Burbank's varieties. In every respect a delicious plum. Large size, roundish and flat; colour, beautiful bright crimson; should be allowed to ripen on the tree to secure best flavour. Ripens just ahead of Kelsey. Good for export.

***Formosa** An extra large, very early plum. Tree a strong grower, but a shy bearer. London paid 10s. to 15s. per box for these, season 1924, bringing in nett £3 per tree. This plum is well worth planting on early sites on all farms carrying a full line of plums for export. Ripens well before Santa Rosa.



WICKSON PLUMS.

***Gaviota** A mid-season plum of good size, pointed in shape and of beautiful appearance. A steady, regular bearer. Quality good. Ripens between Wickson and Kelsey. Highly recommended for export.

Kelsey The latest of all the Japs, and the largest. Fruit heart-shaped. Colour rich yellow, nearly overspread with red, and a lovely bloom. Flesh firm, very rich, and excellent quality. Tree a free grower, but not

stocky. Long willowy shoots. Excellent for market and export. Widely tested here, and has given uniform satisfaction, its fruit having been frequently exhibited in public. An early bloomer. The best Japanese plum for drying.

Methley Originated in Natal by Mr. W. L. Methley, of Balgowan : Fruit small, almost globular, rich dark red in colour, with purple bloom, flesh dark red, melting and delicious ; ripens very early, hence an excellent market variety, and if very early pays well to export. Also suitable for jam.

***October Purple** An Australian variety very popular there, which appears to thrive well in this country. Ripens before the Kelsey. Yellow flesh. Fruit medium to large ; skin very pretty, partially coloured red. Tree a strong healthy grower.

Santa Rosa It is a fine grower, a sure and regular bearer. It does not have any off years. The fruit runs remarkably fine, even in size, and astonishingly smooth and clear of any defects. It is beautiful, delicious, and a very fine carrier to South African and European markets. It will keep well in hot weather for a week after it is ripe, so there is no occasion to pick it half ripe in order to ship. Ripens in December and early January. Strongly recommended for export.

Satsuma (Blood Plum) Fruit of large size and nearly round. Skin dark red with a red bloom. Flesh dark purplish-red. Stone very small and pointed. An excellent market and canning plum, and the tree a free and hardy grower and great cropper.

Sharp's Early Originated in New Zealand. One of the best early plums. Large size and of delicious flavour. Tree hardy, upright, symmetrical grower, and good bearer. Not yet tested fully in this country.

***Shiro Smomo** Large, bright yellow, of the greengage type. Tree healthy and vigorous grower and heavy bearer. Very excellent and satisfactory in every respect. Unsuitable for export. January.

***Sultan** A variety imported by us. A strong free grower and regular and heavy bearer. Is of the Satsuma or Blood type. Fruit of large size and slightly elongated in shape. Must be most carefully handled. Risky to export.

***Wickson** One of Burbank's productions, a strong, upright grower and heavy, but irregular bearer. Ripens about mid-season. Fruit of the largest size, heart-shaped ; colour a whitish-green, but colours up a rich red when ripe ; can be picked nearly green, and will take full colour ; keeps two weeks or more. Very popular in Africa. A popular export variety.

Wright's Early In shape, size and colour very similar to Burbank, only ripens about same time as Methley. Flesh, yellow.

Prunes.

***California D'Agen** This is the genuine French prune of commerce, which holds many thousands of people on the land of France, Bulgaria, Bosnia, Herzegovina, and also in California, where the industry of drying prunes has assumed immense proportions. Introduced by Mr. H. E. V. Pickstone in 1892, and pushed into extensive planting in the Western Province, and some years ago was looked upon as a failure almost everywhere, and many thousands of trees were grubbed out by farmers. Now, however, a different complexion has been placed upon the future of this important com-

mercial variety; possibly it never had been acclimatised, and we can definitely state that over a large area of this country prunes are a great success, and are bringing in big money. Will, we think, prove a success in the North-Eastern parts of the Cape Province and the Eastern area of the Orange Free State. Bears well along the Rand. Further description in our "Hints on Fruit Growing." Many growers in the Western Province realise from 5s. to 15s. per tree from their crop, dependent on the season.

***Fellenberg** Medium size, oval, pointed at both ends, dark purple with blue bloom, juicy, sweet, and parts freely from the stone. A vigorous and spreading grower, taking naturally a good shape, an excellent and steady bearer, where tried here; suitable for market and drying; slightly more acid than Prune D'Agen. This is the commercial prune of Oregon.

***Sugar** One of Luther Burbank's productions specially imported by us a number of years ago. Fruit large and of high quality. Is doing very well in certain districts and is well worthy of general trial.

Cherries.

***Bing** A new variety in South Africa; originated in Oregon. Is of large size, yellow colour, with a blush cheek. We believe its value will prove to be its lateness and carrying qualities, it being remarkably firm in texture.

***Black Biggareau** Strong upright grower. Fruit large, colour dark red to black. Ripens when Black Tartarian are finished, and is very similar in appearance. Ripens November 15 to December 1st.

***Black Tartarian** Upright growth. Fruit large, colour dark red to black, flesh tender, very juicy, flavour sweet. Ripens October 25th to November 4th—November 24th. Favourite on market—always realises top prices. Strongly recommended.

***Early Rivers** Tree spreading vigorous. Blossom usually taken by frost. Blossoms 5 or 6 days before other varieties. Fruit, medium sized, brilliant red colour, rather tart, flesh very soft and juicy, heavy bearer. Ripens October 26th—November 4th.

Elton An early mid-season variety. Fruit of very good flavour and size, but is on the soft side, and not good for commercial planting. Should be ripe end of October and early November.

Emperor Francis Spreading growth, vigorous, fruit good size, colour bright red to yellow, mostly red. Flesh firm, flavour sweet. Strongly recommended. Ripens October 29th to November 4th—November 26th.

***Giant Heidelfinger** Spreading, vigorous. Fruit very large, colour dark red to black. Flesh firm; flavour sweet. Also good seller and top prices. Ripens November 24th—December 7th. Strongly recommended.

***Governor Wood** Spreading growth, vigorous. Very prolific. Fruit medium to small, colour yellow to bright red. Flesh tender, juicy, sweet. Nice flavour but poor seller on account of size. Ripens October 25th to November 5th—November 24th.

Kentish Fruit small, round, red, changing to purple if allowed to hang. A good cooking cherry. A free grower and abundant bearer.

Monstreuse de Mezel Very spreading growth, vigorous. Fruit good size ; colour bright red to yellow, flesh firm, flavour sweet. Closely resembles Napoleon Biggareau but for difference in flavour. Ripens November 2nd to November 9th—December 2nd. Strongly recommended.

Morello Thin willowy growth. Blossoms very late. Fruit good size, colour dark red, flesh soft and juicy ; flavour very tart. Ripens December 2nd — December 15th. Fine canning and cooking cherry and the only variety known suitable for making Cherry Brandy.

***Napoleon Biggareau** Very spreading growth, vigorous. Fruit very large ; colour yellow with red blush, flesh very firm, flavour tart. Ships well. Ripens November 2nd to November 9th—December 2nd. A popular favourite on the market. Strongly recommended.

Almonds.

Brand's Jordan A special strain of the famous Jordan variety, yielding the highest priced nuts in the world's markets. To us it appears very similar in growth and yield and in Africa appears to have no special advantage over its parent.

Britz Claimed to be the most profitable Almond to grow. Hardy and heavy bearer. Said to be self fertile.

Drake's Seedling This variety was originated on the grounds of Mr. Drake of California. The tree is a strong grower and heavy bearer. One reason for its heavy bearing is the fact that it is very late in blooming, consequently is more free from frost than any other variety. The tree, while being a strong grower and very healthy, does not grow as large as some of the other varieties. A point making this variety very desirable is that it produces at an early age. The nut is of medium size and roundish in shape. The shell is medium soft and white, bearing a short, plump kernel of good colour. Doubles are often found in this variety, but this is more than offset by its good flavour and its heavy bearing qualities.

***I.X.L.** Tree strong, upright grower, with long leaves ; nuts large ; hulls easily ; soft shell ; bears reasonably well.


***Jordan** The most celebrated almond of commerce, and far and away the largest. One of our later importations, which should be tried by everybody who wants to grow almonds. Will assist cross fertilisation with other varieties.

Ne Plus Ultra This almond was introduced by Mr. A. T. Hatch of California, and is a regular and heavy bearer. The tree is a strong grower and inclined to have a drooping habit. It presents a very fine appearance on account of its large foliage. The nut is long and narrow in shape and has a soft shell. The kernel is very large, sweet and highly flavoured. Hulls freely and is considered a favourite among almond growers for commercial purposes.

***Nonpariel** Of a weeping style of growth ; smaller foliage than I.X.L. ; bears well, and is a perfect soft-shell nut, though smaller than the previous variety.

***Paper Shell** Medium size, soft shell nut of good quality, and bears well.

Texas Prolific This is one of the popular varieties of almonds grown in California. The tree is equal to that of Drake's Seedling for its heavy bearing qualities but grows much larger. It is of an upright habit, having a smooth wood and a fine foliage. It is a late bloomer, consequently is almost sure to escape damage from late frosts. The nut is of medium size, having a soft shell which is white in colour. The kernel is short, plump and very sweet.



Ne Plus Ultra.

IXL.

Texas
Prolific.Drake's
Seedling.

Nonpariel.

All these varieties can be recommended with confidence. They are bearing heavily and satisfactorily in some parts of South Africa, where the ordinary hard-shell almond never sets its nuts. We recommend them with confidence in South-Western Coast Districts, and strongly advise full experiments with them throughout the country. The nuts are in heavy demand at satisfactory prices.

All varieties of almonds should be planted alternate rows of each sort, as they need thorough cross fertilisation, and if they do not get it will give a failure of crop.

Mulberries.

Cape Selected. This variety has been tested throughout South Africa, and is very popular. Budded trees, 2s. 6d. each.

Quinces.

Borrie.

Cape Selected A Colonial variety selected by ourselves.

***Meeches' Prolific** Large pyriform, golden yellow ; very fragrant, good flavour. Bears early. Very productive.

- *Orange** Large, roundish, somewhat irregular, surface fine, golden colour, flesh firm, flavour excellent, productive.
- *Portugal** Fruit large, oblong pyriform, flesh yellow, juicy, and less harsh than several varieties. In every respect a fine fruit ; not, however, a very heavy bearer.
- *Rae's Mammoth** Fruit resembles the "Orange," but larger ; of excellent quality. Tree a strong grower.
- *Van Dieman** Above medium size ; oval in shape, greenish-yellow in colour and sub-acid. Bears well.

Figs.

- Adam** Well known throughout South Africa. Tree a free grower and regular heavy bearer.
- Calimyrna** Commonly called Smyrna. Fruit medium to very large, slightly flattened ; skin very thin ; colour light pear green when immature, fading to a delicate light yellow when ripe. Stem short. Pulp pink when unripe, deepening when the fruit ripens to dark amber. Sweet and luscious, and unequalled for drying purposes.
- Capri** The Wild Fig used as a host for the Blastophaga, the insect necessary to fertilize the Smyrna Fig for commerce. This variety is worthless as a fruit-bearing sort.
- Castle Kennedy** Fruit large and early ; an excellent variety. Skin pale brown, slightly mottled with grey. Flesh pale, slightly stained red towards centre ; sweet and well flavoured. Tree is hardy and vigorous. An excellent bearer.
- Eva** An old Dutch sort.
- Negro Largo** Fruit of the largest size—long, pyriform. Skin jet black, marked with longitudinal ribs. Flesh pale red, with rich, thick, highly flavoured juice. One of the best figs.
- New Brunswick** Very large and pyriform. Skin greenish yellow in the shade, tinged with pale brown on the other side. Flesh opaline, tinged with very pale flesh-colour towards the centre. A very rich and excellent fig. Very hardy.
- Old Cape White** The well-known old Cape variety. Fruit small, roundish flat. Skin pale green, flesh light yellowish brown. The best for jam, and quite suitable for drying. Flavour delicious.
- Tiger** Fruit medium in size. Striped green and yellow. Tree vigorous and prolific.
- White Adriatic** Fruit above medium, roundish. Skin very thin ; greenish in shade, turning to greenish yellow when ripe. Pulp strawberry red or white with violet-coloured streaks. Hardy, robust and prolific.
- White Genoa** Fruit above medium, roundish ; stalk short. Skin pale greenish brown. Flesh pale, red, sweet and highly flavoured. An excellent variety.



WHITE ADRIATIC.

TRANSPLANTING FIGS.

It has been found that the Fig is not so easily transplanted as other deciduous trees and we have had complaints on this score from the Orange Free State and other Eastern parts of the country. It appears from the following paragraph, which we have extracted from an American publication, that the same trouble is experienced in America :—

“ The Fig will give best results in a dry and rich location. Fertilise liberally with ashes or potash to avoid attack of the root-knot. **In transplanting see that sufficient top and roots are pruned ; the top should be cut almost to the ground** (leave six inches or a foot of stem), **and the fibrous roots shortened-in closely.** Treated in this way it will invariably grow off well. In the South, and especially in Florida, it is impossible to grow Fig trees successfully in large orchards with ordinary culture. The roots are very impatient to cutting and apt to scald during hot, wet weather. Mulching with stones and heavy rubbish, or planting in close proximity to a shed or stone heap will bring success.”

We may say from our own personal experience, we believe that if the advice given above was carried out the result would be highly satisfactory, **though we do not go so far as to recommend it for parts of the country where the Fig is thoroughly at home.** This system is simply to treat the Fig at transplanting, just as is almost invariably done with the vine.

The White Adriatic and White Genoa are the best varieties for commercial purposes and can be thoroughly recommended for extensive planting. Very strong and healthy growers.


The White Adriatic can be specially recommended for drying, in districts suitable for this industry.

Planters must note that in some varieties Fig trees do not attain the same height as other deciduous trees, being, like walnuts, of thicker and more stunted growth, and we do not guarantee our Fig trees to be the standard heights of our price list.

VINES.

We occasionally receive complaints as to dying of vines supplied by us. We must tell our clients that it is often through their ignorance of how to plant grafted vines correctly that leads to this unfortunate result.

We consider the matter of sufficient importance to have the accompanying sketch made, showing exactly how they must be planted. As you will see, they must be earthed up to within two or three inches of the point where they should be cut back. This is about six inches above the graft. This must be done **directly** after planting and should be removed say 2 or 3 months later and any roots being thrown out above the graft must then be cut off, the soil being again heaped up against the stem. This soil can permanently be removed the winter following. Where irrigation is necessary the water should be led around the mound of soil; there is no need to remove it during irrigation.




List of Varieties.

ALL GRAFTED ON SPECIALLY SELECTED PHYLLOXERA
PROOF STOCKS.

- Barbarossa** Black round berry, tough hard skin. Late; good carrier; suitable for export.
- Black Prince** Ripens with Muscadel. Very large berry, but a shy bearer in some districts.
- Crystal** A white round grape; mid-season. Good flavour and popular. Succeeds well in nearly all parts of the country.
- Gros Colman** Bunches and berries very large; the most handsome black grape grown.

FOR PRICES SEE PAGES 14 and 15.



WHITE HANEPOOT.

Hanepoot Red A similar grape to the White variety. Not so popular, however.

Hanepoot White An oval white Muscat grape. Very late. Superior flavour. Very popular everywhere.

Hermitage Medium size to large, oval black berry. Good flavour. Carries well, and is suitable for export.

Lady Downes Seedling A round black grape, bunches long and closely set ; handsome ; good carrier ; late.

Raisin Blanc Large late white grape. Good flavour and size. One of the most popular market varieties.

Red Muscadel Ripens very early ; of considerable value as an early market variety.

Rosaki. Medium size to large bunches. Berries large, bright yellowish green to golden yellow when fully ripe, oval, hard, skin strong, very sweet without pronounced flavour. Ripens ten to fourteen days before Hanepoot. Carries even better than Hanepoot. Can be strongly recommended both for export and for raisin making. Resembles Waltham Cross very closely indeed.

Waltham Cross An oval white grape ; very late ; a good carrier, very large and handsome ; keeps well after ripening.

CITRUS TREES.

Important Notice.

OUR CITRUS TREES OF ALL VARIETIES ARE WORKED FROM STRAINS PERSONALLY SELECTED BY US IN CALIFORNIA SOME YEARS AGO, AND BUD SELECTION HAS BEEN SYSTEMATICALLY CARRIED OUT. OUR CERTIFIED EXPORT FROM OUR EIGHTEEN-YEAR-OLD PARENT TREES 1926 SEASON IS AS FOLLOWS:—

Pickstone's Washington Navels	.. 115 Trees	448 Export Cases.
Valencia Lates 25 Trees	161 Export Cases.

EXCLUSIVE OF ALL MARKED FRUIT AND CULLS SOLD IN THE UNION.

Is this good enough for you ? AT ALL EVENTS IT IS MORE THAN DOUBLE THE CALIFORNIAN AVERAGE.

This Department of our business has very largely extended. Needless to say, it is our aim to keep it up to date in every respect.

All the trees are grown in the Nursery to a single stem, and each tree is trained to a stake, and no expense is spared on them.

Frequently they are delivered long distances within the Union and also outside its borders with a loss of less than one per cent., and there is absolutely no excuse for a planter not being able to establish with them a successful citrus grove, big or small.

Best Varieties The varieties of Oranges listed are well known as being the best for commercial planting and general purposes. **Pickstone's Washington Navel** and **Valencia Late** stand first and can be particularly recommended. All the Lemons listed can be relied upon as the best and most satisfactory varieties for African consumption and for export, and they have been thoroughly tested in most parts of the country.

Shipping Seasons The Winter Shipping Season for Citrus trees begins in June and extends till September, and the Summer Shipping Season extends almost continuously throughout the summer from the end of October till the end of March. We may say, however, that our experience shows that the trees are generally in a stage of vigorous growth from the middle of September until the middle of October, and we advise clients who want trees during that period to wait until towards the end of October.

Size and Grading The Citrus trees—like all the others—are sold by height, which is reckoned from the bud or graft. The grading is liberally done. **If there is any complaint it must be made immediately on arrival of the trees, otherwise it is impossible to rectify same.** All trees are fumigated as provided by the Government regulations before leaving the Nursery, and special care is taken that the fumes of the gas do not come into contact with the roots.

Our stock this season comprises 80,000 saleable trees, thoroughly free from disease and sound and healthy.



ONE OF OUR ORANGE ORCHARDS AT KLAVER ON THE BANKS OF THE OLIPHANTS RIVER.

Packing We have been at particular pains to make this a success. Having personally studied the various methods practised by the best growers in America and Australia, we have evolved our own process from the knowledge thus acquired, and we think it will not be questioned that the particular method we now adopt is an improvement upon others. We are constantly shipping trees packed in our special manner to distant parts of this continent, including Uganda, British East Africa, and to many places north of the Zambesi, with great success. There are instances where the contents of the cases have lost their leaves, and by the time the consignment has reached its destination, fresh and healthy ones have grown out.

Treatment of Citrus Trees on Arrival First of all it should be understood that extreme care is essential in the handling of Citrus trees.

To transplant a Citrus tree is almost like transplanting an apple tree in full foliage; therefore the bare roots should not be exposed to the winds and sun for a **single moment**.

Immediately upon receipt of the consignment it is well to apply a little water to both tops and roots, care being taken that there is a hole at the bottom of tin or case for such water to drain off. Then the case should be removed into the shade—a cool barn or some other cool building is best. In the event of the ground not being ready to begin planting, the case had best be left in the building untouched. The trees would keep thus for a few days if occasionally watered. It is never advisable to unpack the cases and heel in, as we recommended to be done in the instance of deciduous trees. Neither is it advisable to bury or put the trees into water in the event of their arriving dry and shrivelled. If by chance they arrive in this dry condition the leaves will in all probability fall off, but this will not affect the health of the tree or the successful transplanting of it. As long as the wood remains green and sound the tree is alive and well.

Possibility of Loss

Though Deciduous trees can be planted out with little or no loss, it is usually otherwise with citrus trees, and although some people are lucky in getting their grove established with a loss of perhaps only one tree in a hundred, others may quite easily lose as much as twenty per cent. Our experience goes to show that a loss of from five to ten per cent. may be calculated upon.

Time to Plant.

We have frequent enquiries from clients as to when is the best time to plant Citrus trees, and we wish to point out that this class of tree can be planted out **whenever it is dormant**, in fact, we can supply them almost all the year round.

Any time from June 1st to September 15th and from October 20th to March 31st is a suitable time to plant Citrus trees; the exact date dependent on your local conditions.

In giving instructions for date of despatch of citrus trees, in the summer season particularly, it should be endeavoured, where possible, not to tie us down to an exact date, as the day, owing to climatic conditions, might be an unsuitable one for digging and packing trees.

It would be wise also when planting out to consider weather conditions. It is much better not to plant in the heat of the day or when a dry hot wind is blowing. Remember there is no great urgency about removing trees from the case, and much rather leave them under cover unpacked than to plant when the conditions are unsuitable. Early morning or evening is the preferable time to plant.

Planting Out of Citrus Trees

A few hints to our customers as to the care necessary in the planting of Citrus trees will not be out of place. A successful plantation should be assured in any part of South Africa if these instructions are carried out.

If the holes are dug (and it should be recognised as a necessity by planters that they are already dug on receipt of the trees) plant the trees at once, *e.g.*, taking them from the case one by one as they may be required. Then **immediately** give each tree two or three buckets of water by hollowing out the soil round the stem sufficiently to allow the water to be received into a basin. When all the water has sunk away, and not till then, return the dry soil to the stem. Two or three days later repeat with a couple more buckets of water per tree, and again, as required. In fact, keep the soil moist, but **not wet**, until the young tree is firmly established. There is another important matter which must not be overlooked. Immediately your trees are planted, have them cut down to, say, 18 inches to 27 inches, according to size of tree, and get the stem protected **at once, vide sketch**. Personally, we find coarse grass tied round with string as good as anything for this purpose. The stem of the tree should be covered with grass or newspaper, and thus absolutely protected from the sun; **vide sketch, next page**.

This shading requires to be left on the tree until a good growth has started, namely, a few branches of about a foot long. If meanwhile young shoots start out lower down the stem under the shading this latter should be removed and the young shoots rubbed off and the shading immediately replaced.

Another excellent plan to shade the tree is to drive in one or two laths of wood, say $\frac{1}{2}$ in. x 3 in., beside the stem of the tree on the side of the early afternoon sun. The lath should stick out from the ground about 18 in., and would also come in as a stake for the tree to prevent it being blown about by the wind, until the roots are established.

Still a simpler plan is being recommended, and probably might answer the purpose : This is to apply to the stem a good coat of whitewash.

Now a last hint : do not put off either of these operations, viz., the watering and the protection, a single hour after planting. They must be done **at once**. This is the secret of success. Do not wait until the leaves are dropping and the stem is shrivelling, as we see so many planters do, and then perhaps blame the nurseryman.

In this connection we wish to draw attention to the fact that it is a mistake to abandon a tree until it is quite past recovery. Citrus trees are often given up for lost when perfectly good ; until the tree becomes dried up and brown right down to the bud it is not dead. As long as there remains some green wood there is an almost certain prospect of young and healthy shoots being thrown out when the next period of growth commences. In Africa, as before stated, such periods of growth occur three or four times during the year. If a tree has been planted just at the termination of one, it may remain standing dormant for some months waiting for the next. It is then that it requires such particular attention, for if neglected the leaves will certainly fall and the tree dry out to such an extent as will prevent its taking advantage of the growth to come. In cases where this happens, the only thing to do is to cut the tree back to where the wood is green, and to continue attending to the tree until the growing time comes back once more.

In reference to the cutting back of the head immediately after planting, we may say that if this is not done the difficulties of getting the tree established are very much increased. Many planters seem afraid to cut their Citrus trees back (and their Deciduous trees too), which we consider a great pity.



FOR PRICES SEE PAGES 14 and 15.

It is often asked what is the object in paying for a tree three feet high or more when it is to be cut back. We should have thought it would have been perfectly plain that in paying for first size one is getting a thicker and altogether a more vigorous tree ; and what may be cut off from root or top in no way affects this.

Deep Planting We again make no excuse for cautioning planters against planting too deep. With Citrus trees it is absolutely fatal sooner or later. They are bound to get collar rot, and, over and above this, they are not only much more subject to the attack of scale insects, but further, it is almost impossible to eradicate scale from trees planted in this manner, because the constitution of the tree is weakened.

We accept no Responsibility for Loss after Trees are Railed

It occasionally happens after Citrus trees have been delivered to the purchaser and planted out, that complaint is received of some having died off or refused to grow ; and we are sometimes asked to replace such failures free of charge.

We take this opportunity of stating that under such circumstances as these it is impossible to comply with the purchaser's request.

Much as we desire to assist our clients in every possible way to establish their Citrus plantations, it is out of the question to undertake to do more than to put the trees on rail in good condition, for after that is effected everything connected with them is beyond our control.

We know of frequent instances (usually when the work has been delegated to others) when the precautions recommended by us have been totally or partly omitted. When the trees arrive in good condition, it is possible to plant them out and get them established in the ground with little loss, **provided that they are given the care and attention they demand, and that the weather conditions are fairly favourable.** Unfortunately the planting is sometimes followed by most unfavourable conditions, such as severe frosts and drought in the winter, or in the summer strong scorching winds, and some of the trees are bound to succumb. In ninety-nine cases out of a hundred the loss is through no fault of ours, and is often an inevitable result caused by adverse circumstances, so that although it is a source of great regret to hear when our clients have suffered in this direction, we are forced to place a hard and fast limit to our responsibility.

Cancellation of Orders for Citrus Trees.

Those desirous of cancelling their orders for large lots of Orange, Lemon and Nartje trees, should be most particular to do so early, and must do so **not less than three months before time booked for despatch,** otherwise the order will have to stand. There is a great demand for these trees, and we may be refusing orders, as has often occurred, owing to our stock being booked up as sold ; thus if large orders are cancelled, the result is that we have disappointed and inconvenienced clients who were badly wanting the trees.

With Citrus, as with other trees, it often happens, as the season advances, our stock in one variety or another becomes fully booked for future delivery, in which event, unless the client who has placed an order in advance is able to give us definite assurance that it is intended to take delivery, it would become necessary for us to offer the trees to other purchasers.

Varieties.

The varieties marked with an asterisk (*) are those that our firm have introduced to South Africa, and a reference to these will show to what a large extent the present position of the Fruit Trade within the Union—and also outside—is due to the enterprise of our firm during the 35 years of its existence.

Oranges.

Bitter Seville The well-known variety from which marmalade is made.

Clanwilliam Seedling A selected variety of the celebrated Clanwilliam Orange. Fruit large and sweet; ripens mid-season.

Jaffa Imported from Syria. Medium to late ripening. Thornless. Very heavy and rich; almost totally seedless. A heavy cropper.

Joppa A Californian seedling grown from a seed received from Palestine. Fruit oblong, almost totally seedless, thin rind, very juicy and sweet; can hang long on the tree. Ripens between Washington Navel and Valencia Late.


Maltese Egg We have a few trees of this variety this season.

***Mediterranean Sweet** Thornless, low, spreading tree, inclined to dwarf; very productive. Fruit oval, medium, inclined to be small; rich orange colour, inclining to thick skin. Flesh soft, juicy, and very sweet and luscious. Season middle to late. Follows Washington Navel. Shipping quality of the best.

***Navelencia** A new variety that is commanding some attention from growers. It is said by the originator to be a cross between the Thompson's Improved Navel and the Valencia Late, for it is claimed for it the good qualities of the former together with the lateness in ripening which makes its season 30 to 60 days later in ripening than the Washington Navel, thus affording a market of its own between the marketing of the Washington Navel and the Valencia Late. Does not, however, here bear out this promising result. Tree of good robust growth, small thorns, full well-rounded top, hard glossy foliage, in character and habit closely allied to the two other Navels; fruit of good size, smooth and thin skinned, and comes into bearing second year from the bud. Suitable in some areas.

***Paper Rind St. Michael** Tree vigorous and of excellent habits; light thorns; heavy bearer. Fruit small, round, very solid and heavy. Skin thin; smooth and very fine texture; colour pale, almost lemon; membranes thin; grain fine; most abundant juice; sprightly excellent flavour. A general favourite; mid-season; shipping quality best.

***Pickstone's Washington Navel** Owing to the number of different sorts and qualities of Navels in South Africa, some of which, although true navels, were worthless as regards quality, and others very mediocre, our principal, in 1903, already then recognising the great future before our Citrus export industry, went specially to California with the object of securing the best possible strain of Navel. The resulting trees have now been bearing for many years, and the fruit has been exported over a series of years with remarkable success, while their bearing capacity has been thoroughly tested over the last ten years, with extremely satisfactory results. The Navels sold by us are guaranteed the result of this specially imported strain, to which we have attached our name as a guarantee of our confidence in its future. We carry fair stocks for forward delivery.



PICKSTONE'S WASHINGTON NAVEL ORANGE.

NOTE :—Our Navel is a round Orange.

***Ruby Blood** This is the best of the Bloods, of medium size, nearly round ; skin thin, but very tough ; pulp melting, rich, juicy. As the fruit ripens it usually becomes streaked or mottled with blood red ; often the entire pulp gets ruby red, showing through the peel in a reddish blush on the outside. One of the best blood oranges. The tree is vigorous, nearly thornless and a regular bearer. Follows Washington Navel. Good for export.

***Thompson's Improved Navel** In character and habit closely allied to the Washington Navel. Fruit of medium size, smooth and thin-skinned, good flavour, and comes into bearing early. Its keeping qualities are equal to those of the Washington Navel. Its splendid appearance, fine texture of peel, superb colour and eating qualities render it an especial favourite among consumers. Shows no quality superior to Washington Navel in Africa, but is, however, a few days earlier.

***Valencia Late** Tree of very fine and vigorous growth ; light thorns. Early in bearing and prolific. Fruit of medium size, oval, solid heavy. Light colour. Skin rather thin and of strong texture. Flesh of deep and very rich colour, grain fine, firm and crisp ; abundant juice ; excellent flavour, the quality that suits the hot months. Season latest, being prime after other varieties become stale, and maintaining fine quality through summer and autumn. Of best shipping quality, and reaches the market when there are no other oranges to compete.

Grape Fruit.

*Marsh's Seedless

Medium size. Thin rind, with about half the usual bitter. It is a true grape fruit and not a hybrid, with all the characteristics of the common varieties, with the exception of being almost absolutely seedless. Sometimes you will find a fruit containing three or four shells of seeds, but as a rule it has none at all. With the absence of



PRETORIA SHOW.

First Prize and Special, case of Grape Fruit for export, Mfuleni Farm, Uitenhage.
Packed from trees supplied by us.

seeds the amount of juice increases, the flavour improves, and the fruit retains its noted qualities, and the pulp or meat is dark and rich. In serving this fruit you are not required to remove from 80 to 90 seeds, as is necessary with our common grape fruit, but it is ready for the table when cut in halves.

FOR PRICES SEE PAGES 14 and 15.

The fruit is known to be a late keeper. The fact of its not having seeds that germinate when left late on the trees or in storage increases its keeping qualities to a great extent, and is another factor greatly in its favour. A three-year-old bud will bear all the fruit it should hold at that age.

Triumph We have a few trees of this variety to offer this season.


Lemons.

***Eureka** Tree nearly thornless, rapid of growth, and prolific bearer. Fruit of the best quality; a general favourite.


Genoa Medium size, a long oval; thin and smooth skin; of good shape and appearance; juicy, and of the very best quality. We consider, to have in every respect a first-class lemon, one need go no further than this variety; grows freely in nearly all parts, and bears abundantly.

Lisbon Same as Genoa.


***Villa Franca** A strong growing variety; thornless, or nearly so; fruit oblong, juicy and nearly seedless. Sweet rind.



EUREKA.



GENOA



VILLA FRANCA.

Limes.

***Tahiti** This variety carries fruit nearly as large as the lemon. Very juicy, and of best quality.

Nartjes.

As compared with Lemons, Grape Fruit and Oranges, trees of the Nartje family give a more fragile growth in the early years of their existence.

Australian Mandarin

Cape Nartje Can be in every way recommended commercially; a selected variety. Suitable for export.

Dancy's Tangerine Not so good as the Cape Nartje.

***Oonshu (Satsuma)** A garden variety. Less susceptible to frost than any other variety of citrus.

Citrons.

Citron of Commerce. This is the variety from which an essential oil is obtained. The rind, when cured, is known as "citron rind" or "succade."

SITE FOR CITRUS ORCHARD.

In deciduous planting we often have reason to deplore the absence of data as to whether trees will grow or not. As in deciduous trees, where the seedling and coarser sort of grafted tree will thrive, it does not follow that the more delicate and more valuable fruit will always do well. We consider

that in Citrus growing it can be **practically** recognised as a fact that when seedling oranges will grow and thrive improved varieties will also do so. We are therefore at once placed in the position of having data in citrus growing practically all over South Africa. This helps us considerably. In fact, we consider very good work has been done in orange-growing as regards sites. It has actually proved all through this Province, the Orange Free State and Transvaal, the best districts and the most favourable sites for planting. The opening up of the higher tableland for citrus planting would have been quite a problem without such data, as it has been demonstrated that it is only certain localities that are at all suitable owing to the prevalence of frost in the higher veld. One site may be perfectly free from frosts, whereas another, a few hundred yards away, is swept by frost or cold winds which would render the planting of citrus trees a fatal investment. It takes years to arrive at this knowledge, and it is the years of settlement, mainly by the Dutch, that has given us this valuable knowledge. Take Florida; every orange grower knows how the State has been devastated by occasional frosts, which have swept through wide stretches of the country, cutting down to the ground thousands and thousands of acres of bearing orchards. We take the Florida situation in this way. The old Portuguese settlements along the Coast had luxurious old orange groves, which as the State was developed, and as the transport of fruit to northern markets became a fact, were found to pay well. Thereupon land speculators and others boomed the country as an orange-growing country, and the boom took on. People rushed to the conclusion that because orange trees in old orchards thrived in certain districts, that large stretches of country were equally suited, consequently trees were planted out by thousands in districts that might not perhaps catch a frost in ten years. Therefore let us use the data which is before our eyes over this country and recognise that the limit of citrus culture is in no particular area of altitude or otherwise, but that right through the whole country, regardless of the general conditions prevailing in the district, there are sheltered spots eminently suited for our purpose, many of which have already been located for us. Given a site where temperature is right, and also a water supply, the next point to consider is the character of the soil. There are no two opinions on this point. Citrus trees, to grow healthy and live long (in other words to pay well), must be planted in **well-drained soil**. Personally, we infinitely prefer a soil naturally well drained; in fact, a naturally dry soil, which is of such a character that it readily accepts water into its depth. Of such class of soils there are hundreds of thousands of acres in South Africa, provided the necessary water could be brought into them in sufficient quantity for practical purposes. We should always avoid sites which are naturally moist and wet as the trees will never give satisfaction in such a location. We remember a noteworthy case in point. The late Mr. Rhodes, some 34 years ago, despatched a consignment of orange trees to Rhodesia to be distributed for planting; a couple of hundred were planted on his own farm in the Matoppos, the only water supply there at that time being a windmill pump, delivering the water into tubs. The well had as usual been sunk in the part of the farm which showed indication of being the wettest, and the trees were planted in a couple of acres of land adjoining the well, so that they would be handy for watering by means of barrels, which were, we believe, placed on a sledge for this purpose, the idea, of course, being that by placing them near the water they would be less likely to suffer, consequently they were standing in soil where we feel certain they could not do themselves or anybody else credit. Here is the point in planting citrus orchards: **Don't take your trees to the water, but lead your water to the trees.**

The site secured, which should be a sheltered one, little affected by frost, the next vital consideration is water ; we think that in only very few favoured spots in South Africa can citrus growing be made profitable without water. We would ourselves hesitate to recommend the planting of such an orchard without having a water supply behind it proportionate to the number of trees to be irrigated.

Setting out an Orange Grove

There has been a little difference of opinion as to whether it is best to plant trees direct from tins or with bare roots.

We have satisfied ourselves that if well dug and every detail of the packing is carefully done, Citrus trees packed with bare roots can be safely transported any distance throughout Africa with only a very small loss on being planted out. But growers must remember that a plant in foliage at the time of planting needs much more careful attention, as although the tree may be quite dormant at planting there must necessarily be a good deal of evaporation through the leaves, and this evaporation must be met by keeping the soil around the tree moist.

At once after planting we recommend the trees should receive water, and that the surface of the soil around each tree should be mulched with hay, straw, grass or bushes, or indeed anything which will retain the moisture. It is almost essential to protect the tree from the direct rays of the sun, either by reeds, stakes, bagging, or indeed anything which will serve the purpose. The defoliation of the young trees to prevent evaporation is not always desirable, as the benefits derived from it are sometimes counteracted by the danger of having the tree scorched by the winds, which are very prevalent throughout the country, and, therefore, particular care must be taken to have them well protected.

Don't Plant Too Deep

It is a mistake which is very generally made throughout the country, and is of vital importance. In Florida, where the soil is shallow, and the climatic conditions are equable, trees are often planted on the top of the ground, and the soil thrown up against them ; we do not, of course, advocate this, but we do say keep the place where the bud is inserted well above the ground, letting the crown of the roots be covered a few inches only. Many growers have told us that it is impossible to keep trees clean from scale if they have been set too deep ; we confirm this from our personal experience, and we do know that in Florida it is generally recognised to be a fact, and it must be borne in mind that Florida is a State of **shallow soils**, and in many instances we believe badly drained, whereas California is a country of deep soils. We feel satisfied that in shallow soils deep planting will certainly bring an orchard into an unsatisfactory state sooner or later, while in deep soil it is still quite an important matter to keep the trees well up in planting.

Never manure your trees when setting them ; it is a dangerous thing to do ; wait until your trees are well established in a few months, then the manure can safely be applied and will be readily and promptly brought into solution by the irrigation water, which should be immediately applied. The tree should then very shortly respond.

The Washington Navel and its Future

Our firm have for twenty-seven years consistently advocated the placing in the premier place in South African citrus groves the Washington Navel orange, and we maintain this position in spite of anything that has been and may be said to the contrary.

We state boldly that covering the long future the Navel orange, during its season, will be our most important factor in establishing a permanent place for South African oranges in the European market, and we contend

that over a large and diverse area in Africa Navels of the highest quality are grown. We admit, however, that many thousands of rubbishy trees of poor strains of Navels have been planted—and very often badly planted—in fact, so badly planted and cared for that even a good strain would have a poor chance of coming up to a respectable standard.

We are told we must look to seedlings as the basis for the real expansion of the citrus export, to bring the fruit to such a price as can be readily eaten by the poor man, and Spain is instanced as a country from which we have much to learn in regard to stocks and the varieties suitable for the European markets. Our principal has lately returned from a visit to the orange groves of Spain to look into cultural matters on the spot, and has seen many millions of trees in the Vuelta of Valencia—the home of the Spanish oranges. He made a previous visit there twenty-one years ago for the same purpose. The Spanish orange industry to-day is based on selected seedlings all worked on sour stock. The trees are good, bad and indifferent, according to soil and conditions, and the fruit itself follows suit. Extraordinary care is, however, taken on the pack, which retrieves the whole position and has resulted in the high repute of these oranges.

One hears much talk of sour stock to-day and their immunity from disease. We state definitely that in Spain at all events Mal di Goma and foot rot are broadcast in their prevalence. To such an extent is this so that in the Murcia and Denia areas it is orchard practice to open up each tree, exposing all roots, and keep them open year in and year out. In a word, half the orange trees of Spain, all of which are on sour stock, are actually suffering from or threatened with foot rot. We are told that these trees are regular and consistent croppers. This is not true. The crops vary as in other countries. As an instance, 1922 crop of certain groves of high repute in South Valencia area was one-third of 1921. Over and above all this, the average height of a thirty year old orange tree in Spain is 8 ft. to 10 ft. high. They are all dwarfed and planting is seldom made at a greater distance than 10 ft to 12 ft. apart.

The Spaniards themselves are fully alive to the value of the Navel orange, and repeated experiments have been made to establish it, without any success. As a practical grower we realise that first quality Navel oranges could be grown in Spain provided the right stocks and conditions are used. The value of the establishment of the Navel orange in Spain can be realised when we state that in the height of the season 1922 for Spanish seedling oranges we saw Californian Washington Navels exposed for sale in all the best English fruit shops at figures one-third in excess of the pick of the Spanish seedlings.

In confirmation of the statement made three years ago, we read in the weekly report of the Overseas Representative of the Fruitgrowers' Exchange in London, under date 23rd December, 1925: "A few boxes of Spanish grown California seedless oranges, packed in standard California boxes, were on the market this week, and made from 30/- to 35/-; counts 96's. to 132's., whereas at like date the current price of Spanish seedlings, counts 300's. to 504's. was 12/- to 20/-."

We do not contend that Washington Navel oranges will deliver high class fruit from badly selected, badly planted, and indifferently grown groves. This orange demands a high understanding and great intelligence to secure perfection, but we contend there is sufficient of these qualities among growers to secure same, and we repeat that on the Washington Navel in its season depends the standard on which our citrus reputation will always rest, and that its carrying qualities per acre space will compare favourably with any other variety planted, averaging over the years, if properly cared for.

We, however, wish to point out that we have a good stock of other varieties outside of Navels, including a special strain of Clanwilliam Seedling.

We have given here our honest advice covering 40 years, founded on cultural facts and a wide knowledge of European markets and continental orchard practice. Each will, of course, plant as he pleases.

Stocks This is an important point on which we receive frequent inquiries.

Many appear to be in a state of uncertainty as to what stock is best for the orange. As stated in our "Hints on Fruit Growing," we have tested nearly all the various stocks which have from time to time been recommended, and though we continue to carry a small stock of trees worked on to these different roots, the stock we have adopted for general use is the Rough Lemon, and this we hope to continue to use until something which proves definitely better is brought to light. Our reasons for using the Rough Lemon in preference to others are that it is robust and healthy, it is the only stock which has lived and thrived in this country for centuries under all sorts of adverse conditions, and in fact it is said by some to be indigenous to parts of South Africa. Nearly every variety has proved successful upon this stock.

The Bitter Seville, though a suitable stock for the Lemon, has proved perfectly useless for nearly every variety of orange. The Sweet Orange stock seems very subject to root disease, and as regards the Pomelo, we have had a large plantation of various kinds of Oranges worked on the Californian Pomelo under observation for years, and we find it has an undoubted tendency towards dwarfing the tree, as does also the Trifoliata, but to a much greater degree.

We have seen it stated that any sour stock, such as the Rough Lemon, has a deleterious effect upon the fruit, causing it to be sour, thick pulped, etc. We are perfectly convinced that this is a fallacy. The stock has no direct influence whatever upon the fruit, though it influences the growth and habit of the tree; a dwarfed stock, for instance, making a dwarfed tree, and a free growing stock having the opposite effect.

We have proofs without number that fruit is not influenced by the stock, and do not know of any instance where the effect is contrary. Amongst well-known instances may be mentioned the pear upon quince, the apple upon crab, or the grape worked on to wild American root. In each of these cases the fruit of the stock is very sour and bitter, yet the fruit produced by the scion is identically the same as if it were grown on its own root. When fruit of the grafted Citrus tree varies, as it sometimes does, it is on account of difference of situation and soil, or cross fertilisation, and has nothing whatever to do with the stock.

Improvement in Varieties Amongst growers there is still considerable uncertainty as to whether the right and proper thing is being done in discarding wild seedling trees for what are called "new varieties," arrived at by either budding or grafting; we are very solid on this, and give below the points in favour of the respective views.

Those who favour the planting of wild seedlings will agree that a seedling is hardier, grows larger, and therefore bears bigger crops. This we will readily admit.

The advocates of the budded tree will claim the fruit fetches a higher price, and tree comes into bearing earlier. Also true.

We give our verdict in favour of the newer varieties.

Firstly.—Because we consider the seedling tree planted on good soil here grows so freely that when it becomes over fifteen years of age it is almost an impossibility to eradicate the pests that affect it; it grows to a size which makes it very difficult to fumigate, and it is much

more difficult to get at with a spray. Whereas a budded tree would take a great length of time to attain the same size, even if it will ever do so, we ourselves having never seen a worked orange tree of much above 15 feet high, therefore a budded tree can be readily fumigated or sprayed even when it attains great age.

It will interest our readers to know that in Valencia, Spain, the home of the Spanish oranges, fumigation is entirely depended upon to keep the trees clean, and small fumigating companies are established in all the little villages.

Secondly.—The seedling will not come into bearing until the eighth or ninth year, whereas a healthy budded tree will come into bearing and pay well in the fourth year.

Thirdly.—Because a budded tree can be planted closer than a seedling, 18 ft. to 25 ft. being ample distance apart for worked citrus trees, whereas a seedling should be set at 30 ft. apart, the former giving a greater number of trees to the acre.

Fourthly.—Because by the planting of budded trees the season for harvesting the crop is considerably extended, always an important point in commercial fruit growing, invariably resulting in better prices.

Fifthly.—Because it is always advisable to allow the opinion of other people and the trend of work being carried out in other countries who are engaged in kindred enterprises to influence one, and thus we find the planting of seedling oranges in California practically discontinued. We have ourselves worked in several Citrus Nurseries there, and can truthfully say that we have never seen a seedling sold.

It should be noted that the fruit of the Citrus family does not always attain perfection the first year of bearing. The first fruits are inclined to be thick pulped and are sometimes deformed. It is often not until the second or even third crop that fruit is seen at its best.

VALUABLE TABLES.

Number of trees on an acre at various distances :—

10 feet x 10 feet	435
11 feet x 11 feet	360
12 feet x 12 feet	302
13 feet x 13 feet	257
14 feet x 14 feet	222
15 feet x 15 feet	193
16 feet x 16 feet	170
17 feet x 17 feet	150
18 feet x 18 feet	134
19 feet x 19 feet	120
20 feet x 20 feet	108
21 feet x 21 feet	98
22 feet x 22 feet	94
23 feet x 23 feet	82
24 feet x 24 feet	75
25 feet x 25 feet	69
30 feet x 30 feet	48

To ascertain the number of trees or plants required for an acre : Multiply together the distance that the trees are to be set apart each way and divide this into 43,560 (the number of square feet to an acre), which will give the number required.

Distances for Planting.

For orchard planting, all varieties in Catalogue, 20 feet apart each way, with the following exceptions :—

Quinces	10 feet apart.
Vines	5 feet apart.

In gardens this can be varied to suit size and conditions.

Time of Bearing.

Apples may be expected to come into bearing the 3rd year to 6th year, dependent upon variety.

Pears may be expected to come into bearing the 5th to 8th year, dependent upon variety.

Peaches may be expected to come into bearing the 3rd year.

Apricots may be expected to come into bearing the 4th year.

Plums (Japanese) may be expected to come into bearing the 3rd year, dependent upon variety.

Plums (Domestic) may be expected to come into bearing the 5th year, dependent upon variety.

Cherries may be expected to come into bearing the 5th year, dependent upon variety.

Almonds may be expected to come into bearing the 3rd year.


Walnuts may be expected to come into bearing the 6th year.

Quinces may be expected to come into bearing the 3rd year.

Figs may be expected to come into bearing the 2nd year.

Vines may be expected to come into bearing the 2nd year.

Citrus trees may be expected to come into bearing the 3rd year.



A KEURBOOM ROOT, delved from virgin soil, heavily infected with root knot and eelworm swellings. This is an illustration of a fact that is not generally recognised, that these troubles are native of the veld vegetation of South Africa.

TESTIMONIALS.

A FEW OF LAST YEAR'S TESTIMONIALS AS TO QUALITY AND PACKING OF OUR TREES.

JOHANNESBURG (Transvaal).—"The consignment arrived in excellent condition, and I am more than delighted with the trees, which are all first class and far exceed my expectations."

JANSENVILLE (Cape Province).—"You will be pleased to hear that the 433 Citrus Trees received from you last season are all growing nicely, not a single one being lost."

KRUGERSDORP (Transvaal).—"I have received the consignment of trees, which have arrived in splendid condition, and I am very pleased with same. Out of the last 360 trees I received from you I only lost 8, which I consider very good. I will recommend your trees to anyone I know wants to plant fruit trees."

KIRKWOOD (Cape Province).—"You will no doubt be pleased to hear that out of 2,000 Citrus Trees from you we planted this season, our losses are very, very small, although we have had the most severe season on record as regards sharp frosts, strong dry winds and severe drought, from which we are still suffering. We may state that we have now 3,000 of your Citrus trees growing on our farm, and our first plantings of Washington Navels are now coming into bearing. It is really a pleasure to handle the fruit, it being of such fine appearance and quality. We have no doubt that our groves, in the near future, will be a fine advertisement to your firm."

VREDENDAL (Cape Province).—"I am obliged to you for your letter of the 20th inst. advising despatch of the trees (citrus trees). They arrived yesterday in good condition, and I hope to have the planting out completed by to-morrow. May I offer my congratulations to your firm on the very excellent manner in which the trees were packed."

ZWARTRAND (Transvaal).—"I received the consignment of 510 trees. They arrived here in very good condition, and I must say that the packing was absolutely perfect and was done very carefully. The sizes exceed those by far as given in your catalogue, and the trees sent are healthy, and will no doubt give every satisfaction. I am very pleased with my trees."

VOM (Northern Nigeria).—"The fruit trees have arrived after nearly seven weeks in transit, and considering the climatic conditions of the journey, first to England and then back to this country, it is due to your very careful packing that they arrived in excellent condition. Although the trees have only been in the ground just over a week, all the deciduous trees have young shoots, and the citrus trees are showing a tinge of green where the graft joins the stock."

KRUGERSDORP (Transvaal).—"I am pleased to inform you that I received the trees in perfect order and condition. They were packed very nicely, and I am very satisfied with them. They seem perfectly healthy, strong trees."

ADDO (Cape Province).—"It may interest your firm to know that since my return from California in 1922 I have seen many Citrus groves in different parts of Natal, Transvaal and the Cape. Many groves are of course comparatively speaking quite young, unfortunately not too young to detect the abundant 'hobo' or off-type tree, of which I have personally top worked or rebudded a good many, particularly the Washington Navel strain, but so far, I am glad to say, I have not found a single off-type tree in any of the groves planted out with trees supplied by your firm. I consider that your Washington Navel and Marsh's Seedless Grape Fruit trees are particularly regular and consistent in their bearing habits, and I have seen nothing to beat them so far in any part of the Union."

ELDORET (Kenya Colony).—"As a number of your clients have been struck by the excellent condition in which your trees arrive in this country, they have frequently asked us questions *re* prices, etc., which we have been unable to answer. We should be obliged if you would send us a few copies of your price lists, which we could keep in this office, for our own information and that of our clients. Naturally, there are orchards from which trees can be obtained locally, but the universal opinion appears to be that your trees are more satisfactory."

LUSHOTO (Tanganyika Territory).—"The consignment of fruit trees arrived on July 13th. Without exception, they were in excellent condition, and at the time of writing are all shooting, with the exception of one Washington Navel and all the figs—a result I did not consider possible. The figs, no doubt, take longer. I followed your instructions to the letter, and no doubt they will throw out shoots later."

OUTJO (South West Africa).—"The Grape Fruit Trees you forwarded me arrived in tip-top condition, looking as though they had just been taken from the nursery. Am much pleased with same."

JOHANNESBURG (Transvaal).—"I have been perfectly satisfied with Pickstone's trees in the past, and I am trusting that this year I will again receive a consignment of trees which will please me and be a credit to yourselves."

NIGEL (Transvaal).—"About two years ago, when I was at Rietfontein, near Germiston, I was supplied with a hundred fruit trees by your firm. These trees to-day are beautifully healthy and large, and the fruit, a surprisingly large crop for such young trees, is proving to be second to none. I have been more than satisfied with them, and having given them due care and attention, have had 95 per cent. results."

ZOUTPAN (Orange Free State).—"The 52 fruit trees arrived satisfactorily on the 31st August. The last lot of trees are growing beautifully, and also those of the previous year, and all the qualities I have had from you do well here. I recommend all fruit growers to get their trees from you, as then they will get value for their money."

MIDDELBURG (Transvaal).—"I must say your trees are simply wonderful, and everybody admired my fruit."

DREW (Cape Province).—"I started doing business with you in 1924, and I have now 800 orange trees. The trees are doing well, and are an advertisement for your business. I have always been satisfied with your trees and your treatment."

MLANJE (Nyasaland).—"The grape vines came to hand quite safely, and I must congratulate you on the packing and on the vines themselves. They arrived in splendid condition, and are exceptional."

ZAK RIVER (Cape Province).—"I thank you for the fruit trees, which arrived quite safely, and I have pleasure in enclosing my cheque. I should like to compliment you on the most efficient way in which the trees were packed."

ELLENSDALE (Natal).—"I have a nice lot of your trees growing on my farm here. Most of them are bearing already. You can put my testimonial on your list—that your trees are good and grow well, and that the fruit is good."

PINELANDS (Cape Province).—"I might mention that the trees we had from you last year are excellent. I did not expect such results."

ELISABETHVILLE (Congo Belge).—"J'ai l'honneur d'accuser la reception des deux envois d'arbres fruitiers que vous avez effectués pour nous en juillet et août, et qui nous sont parvenus en bon état."

JOHANNESBURG (Transvaal).—"The bundle of trees came two days since, and are fine and healthy in appearance—as South Africa has come to expect from your house."

WINDHOEK (South West Africa).—"The citrus trees you sent me up last year have done extraordinarily well, and I have only lost one of them."

GWELO (Rhodesia).—"Last year's trees I got from you are still doing well. The very first lot of trees I got from you in 1923 are doing fine and gave me quite a nice little lot of fruit last season."

JOHANNESBURG (Transvaal).—"Received trees. A fine stamp of tree, and splendid root system. The 50 trees I had from you last year have grown very well, despite the drought."

SCHWEIZER RENEKE (Transvaal).—"I may state that I am most highly pleased with your fruit trees, and also the vines up to now. How they will bear fruit I, of course, cannot say, but every one is growing and looks most promising."

BLOEMFONTEIN (Orange Free State).—"I wish to state that the trees arrived in tip-top condition, and I am more than satisfied with them."

SALISBURY (Rhodesia).—"I received the trees on Wednesday in fine condition, and I must say they are a fine lot, and I am pleased with them."

FLORIDA (Transvaal).—"I should like you to know that we had a good crop of Plums and Peaches last season. Some of the trees have not come into bearing yet, but I am well pleased with those that had fruit on. The vines were laden with fruit, large bunches and large berries. Wishing you every success."

LIMBE (Nyasaland).—"The trees landed in very good condition, and all seem to be growing well."

AMERSFOORT (Transvaal).—"It may interest you to hear that all my trees are growing, notwithstanding the fact that they were 18 days on rail, but I must give you credit for the excellent packing, and the sound advice you gave *re* planting, etc."

VAN WYKSDORP (Cape Province).—"The citrus trees arrived in excellent condition. It was a pleasure to observe the careful way in which they were packed and handled."

GWELO (Rhodesia).—"The fruit trees arrived in splendid condition on the 20th instant. I must thank you for taking so much trouble in sending such a splendid variety suitable for this climate."

JAGERSFONTEIN (Orange Free State).—"The selection of apple trees ordered from you arrived in first-rate order, thanks to your experienced packing. I am well pleased, and so far have no reason to regret having left the choice of kinds entirely in your hands."

SWELLENDAM (Cape Province).—"The Navel trees I had from you in 1925 and 1926 are growing fine. I wish you could see them. A few of those I had from you in 1925 are dead, but I think it is due to the severe wind we experienced at that time, but not a single one of those I had from you in 1926 died."


NEW BETHESDA (Cape Province).—"I have been more than satisfied with the trees which I have hitherto obtained from you, and the results have always come up to my expectations."

LOWER TSITSANA (Cape Province).—"I am glad to say the trees you sent me arrived still as moist and good as when packed."

PRETORIA (Transvaal).—"The trees we ordered a few years back are doing splendidly, and are in full bearing, especially the plums. Will order more next year."

PIETERSBURG (Transvaal).—"The trees I got from you fifteen years ago are all doing very well indeed, especially the oranges and plums."


GRAAFF-REINET (Cape Province).—"The orange trees we got from you about ten years ago were very good trees, and are bearing wonderfully."



CITRUS SIZING PLANT AT DELTA FARM, GROOT DRAKENSTEIN, C.P.


Which turned out remarkably successful average of prices in Europe in 1925 season. Average, all varieties, 28s. per case gross.

View looking along the sizing plant, which is running at half speed ; this explains the absence of packers from a number of the bins.



CITRUS PACKHOUSE AT DELTA FARM, GROOT DRAKENSTEIN, C.P.

Equipped with the latest and most complete Stebler Parker sizing plant, with all needful accessories to secure efficiency. Capacity 500 packed boxes per eight-hour day.



THE UNIVERSITY OF CHICAGO PRESS
PUBLISHED BY THE UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILLINOIS
1968

